

Atlanta Public Schools/ Washington Cluster

Hollis Innovation Academy

Revised

School Assessment Report

November 10, 2020



Table of Contents

School Executive Summary	4
School Dashboard Summary	7
School Condition Summary	8
<u>1963_1970 Bldg 4010 4010_4011</u>	10
Executive Summary	10
Dashboard Summary	11
Condition Summary	12
Photo Album	13
Condition Detail	14
System Listing	15
System Notes	17
Renewal Schedule	32
Forecasted Sustainment Requirement	35
Condition Index Forecast by Investment Scenario	36
Deficiency Summary By System	37
Deficiency Summary By Priority	38
Deficiency By Priority Investment	39
Deficiency Summary By Category	40
Deficiency Details By Priority	41
<u>Site</u>	44
Executive Summary	44
Dashboard Summary	45
Condition Summary	46
Photo Album	47
Condition Detail	48
System Listing	49
System Notes	50
Renewal Schedule	54
Forecasted Sustainment Requirement	55

School Assessment Report

Condition Index Forecast by Investment Scenario	56
Deficiency Summary By System	57
Deficiency Summary By Priority	58
Deficiency By Priority Investment	59
Deficiency Summary By Category	60
Deficiency Details By Priority	61
Glossary	62

School Executive Summary

The condition of a Campus is the accumulation of the condition evaluations of the component buildings and the site. Building condition is evaluated based on the functional systems and elements of a building and organized according to the **UNIFORMAT II Elemental Classification**. eCOMET uses parametric estimating methodology whereby historical costs for systems, components and equipment are collected by entities such as RSMeans and converted to unit costs, typically \$/SF, and used to approximate future construction costs or replacement values. The grouping of these systems and elements and applying a current replacement value to them develops a representative building cost model. Cost Models are developed for similar building types and functions. Systems and their elements are evaluated based on their current replacement values, life cycles, installation dates and next renewal dates. Systems and their elements that are within their useful lives are further evaluated to identify current deficient conditions that may have a significant impact on a system's or element's remaining service life, and to determine if they are beyond their predicted expected life. The system's or element's current replacement value is based on RS Means Commercial Cost Data.

Following are the cost model's system details for this facility. The **Current Replacement Value (CRV)** is the amount needed to replace the property of the same present scope. The **Repair Cost** (the sum of the cost to repair/replace the Deficiencies) represents the budgeted contractor-installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging of the work. **Facility Condition Index (FCI)** is an industry-standard measurement of facility condition calculated as the ratio of the costs to correct a facility's deficiencies (Condition Needs) to the facility's Current Replacement Value. It ranges from 0% (new) to 100% (very poor - beyond service life). The **Remaining Service Life Index (RSLI)** is calculated as the sum of a renewable system's **Remaining Service Life (RSL)** divided by the sum of a system's Replacement Value (both values exclude soft-cost to simplify calculation updates) expressed as a percentage ranging from 100% (new) to 0% (expired). The relationship between the key metrics FCI and RSLI is an important indicator, at either the facility, building, system, or component levels, of the condition trend and the imminent need for capital renewal. These indices exist in an inverse relationship wherein the FCI increases when systems reach their expected life-cycle age, whereas the RSLI decreases annually indicating the relative time remaining before reaching the life-cycle expiration age. For example, a facility or a system with a high RSLI and a low FCI indicates it is in the early portion of its useful life. However, a low RSLI indicates that expiration dates are approaching at which point the FCI would increase. The term **FCA Score** is the inverse of Total FCI and calculated as 100-Total FCI (without the %) where 100 is best and 0 is worst condition.

Gross Area (SF):	228,355
Year Built:	1963
Last Renovation:	2004
Replacement Value:	\$48,568,640
Repair Cost:	\$5,597,951.00
Total FCI:	11.53 %
Total RSLI:	48.54 %
FCA Score:	88.47



Description:

The Michael R. Hollis Innovation Academy (formerly known as: Kennedy Middle School) is located 225 James P. Brawley Drive in Atlanta, Georgia. The three story, 228, 355 square foot was constructed in 1963. Additions to the main school building were constructed in 1970 and shares this facility with 761-0003 Support.

This report contains condition and adequacy data collected during the 2019 Facility Condition Assessment (FCA) Update. Detailed condition and deficiency statements are contained in this report for the site and building elements.

A. SUBSTRUCTURE

The building rests on slab-on grade and is assumed to have standard cast-in-place concrete foundations. The building does not have a basement.

B. SUPERSTRUCTURE

Floor construction is metal pan deck with lightweight fill. Roof construction is metal pan deck with lightweight fill. The exterior

School Assessment Report - Hollis Innovation Academy

envelope is composed of walls of precast tilt-up concrete panels. Exterior windows are aluminum frame with fixed panes. Exterior doors are hollow metal steel mostly with glazing. Roofing is typically low slope built-up. Roof openings include a roof hatch with fixed ladder access. Most building entrances appear to comply with ADA requirements.

C. INTERIORS

Interior partitions are typically CMU. Interior doors are generally solid core wood with hollow metal frames and mostly with glazing. Interior fittings include the following items: white boards, graphics and identifying devices, lockers, toilet accessories, storage shelving, handrails, fabricated toilet partitions. The interior wall finishes are typically painted CMU. Floor finishes in common areas are typically vinyl composition tile. Floor finishes in assignable spaces is typically vinyl composition tile, carpet, wood and tile. Ceiling finishes in common areas are typically suspended acoustical tile. Ceiling finishes in assignable areas are typically suspended acoustical tile.

D. SERVICES

CONVEYING: The building does include conveying equipment. Conveying equipment includes one hydraulic elevators, and One wheelchair lifts.

PLUMBING: Plumbing fixtures are typically low-flow water fixtures with manual control valves. Domestic water distribution is combination of copper and galvanized steel with electric hot water heating. Sanitary waste system is cast iron. Rainwater drainage system is internal with roof drains.

HVAC: Heating is provided by gas fired boilers. Cooling is supplied by rooftop mounted air cooled air handling units. The heating/cooling distribution system is a ductwork system utilizing air handling units. Ceiling mounted exhaust fans are installed in bathrooms and other required areas. Controls and instrumentation are digital and are centrally controlled by an energy management system. This building has a remote Building Automation System.

FIRE PROTECTION: The building does not have a fire sprinkler system. The building does have a kitchen hood fire suppression system. Fire extinguishers and cabinets are distributed near fire exits and corridors.

ELECTRICAL: The main electrical service is fed from a pad mounted transformer to the main switchboard/distribution panel located in the building. Lighting is lay-in type, fluorescent light fixtures. Branch circuit wiring is typically copper serving electrical switches and receptacles. Emergency and life safety egress lighting systems are installed and exit signs are present at exit doors and near stairways and are typically illuminated.

COMMUNICATIONS AND SECURITY: The fire alarm system consists of audible/visual strobe annunciators in all common spaces. The system is activated by manual pull stations and smoke detectors and the system is centrally monitored. The telephone and data systems are segregated and include dedicated equipment closets. This building does have a local area network (LAN). The building includes an internal security system that is actuated by the following items: contacts, infrared, optical or a combination of all devices. The building has controlled entry doors access provided by card readers; entry doors are secured with magnetic door locks. The security system has CCTV cameras and is centrally monitored; this building has a public address and paging system combined with the telephone system.

OTHER ELECTRICAL SYSTEMS: This building does have a separately derived emergency power system. There is a natural gas emergency generator.

E. EQUIPMENT & FURNISHINGS

This building includes the following items and equipment: fixed food service, library equipment, swimming pool, fixed casework, window treatment, floor grilles and mats, and multiple seating furnishings.

G. SITE

Campus site features include paved driveways and parking lots, pedestrian pavement, flagpole, landscaping, play areas, and fencing. Site mechanical and electrical features include water, sewer, natural gas and site lighting.

CODE REVIEW

ACCESSIBILITY: The building is generally in compliance with applicable ADA requirements with respect to path of travel, interior and exterior doors, interior signage, and toilet room dimensions, fixtures, and fittings. Most building entrances appear to comply with ADA requirements.

LIFE-SAFETY SYSTEMS: The building is not covered with a wet sprinkler system. Fire extinguishers are located throughout the building. Power outlets in wet areas are GFIC protected. The fire alarm system includes detection devices, audio/visual alarms, and pull stations. Emergency/egress lighting is a combination of battery and special circuit systems. Illuminated exit signage is present in corridors and at exit doors. There is no fall protection at the roof.

School Assessment Report - Hollis Innovation Academy

Attributes:

General Attributes:


Arch Condition Assessor:	Homero Guerrero	MEP Condition Assessor:	Hayden Collins
School Grades:	06, 07, 08, PK	DOE Drawing Total GSF:	228355
DOE Facility Number:	5563	Total # of Modular/Portables:	0
DOE Interior Site SF:	228355	Total GSF of Modular/Portables:	0
Approx. Acres:	5	Status:	Active

School Dashboard Summary


Gross Area: 228,355
 Year Built: 1963
 Repair Cost: \$5,597,951
 FCI: 11.53 %

Last Renovation: 2004
 Replacement Value: \$48,568,640
 RSLI%: 48.54 %


Deficiency By Category




Deficiency By Priority



Deficiency By System



10 Year Investment Forecast



School Condition Summary

The Table below shows the RSLI and FCI for each major system shown at the UNIFORMAT II classification Level 2. Note that Systems with lower FCIs require less investment than systems with higher FCIs.


Current Investment Requirement and Condition by Unifomat Classification

UNIFORMAT Classification	RSLI%	FCI %	Current Repair
A10 - Foundations	44.00 %	0.00 %	\$0.00
B10 - Superstructure	44.00 %	0.00 %	\$0.00
B20 - Exterior Enclosure	46.37 %	0.00 %	\$0.00
B30 - Roofing	26.70 %	0.00 %	\$0.00
C10 - Interior Construction	45.45 %	0.00 %	\$0.00
C20 - Stairs	44.00 %	0.00 %	\$0.00
C30 - Interior Finishes	68.02 %	6.14 %	\$262,664.00
D10 - Conveying	25.00 %	0.00 %	\$0.00
D20 - Plumbing	30.70 %	0.00 %	\$0.00
D30 - HVAC	40.52 %	64.05 %	\$4,533,989.00
D40 - Fire Protection	43.83 %	13.10 %	\$165,786.00
D50 - Electrical	72.85 %	0.00 %	\$0.00
E10 - Equipment	25.00 %	0.00 %	\$0.00
E20 - Furnishings	25.00 %	0.00 %	\$0.00
F10 - Special Construction	0.00 %	110.00 %	\$434,560.00
G20 - Site Improvements	52.46 %	5.56 %	\$200,952.00
G30 - Site Mechanical Utilities	70.00 %	0.00 %	\$0.00
G40 - Site Electrical Utilities	39.80 %	0.00 %	\$0.00
Totals:	48.54 %	11.53 %	\$5,597,951.00

Condition Deficiency Priority

Facility Name	Gross Area (S.F.)	FCI %	1 - Critical Immediate Need	2 - Trending Critical (Year 1)	3 - Necessary (Years 2-5)	4 - Recommended (Years 6-10)	5 - Grandfathered Project triggered
1963_1970 Bldg 4010 4010_4011	228,355	12.73	\$0.00	\$0.00	\$5,396,999.00	\$0.00	\$0.00
Site	228,355	3.25	\$0.00	\$0.00	\$200,952.00	\$0.00	\$0.00
Total:		11.53	\$0.00	\$0.00	\$5,597,951.00	\$0.00	\$0.00

Deficiencies By Priority



- 1 - Critical Immediate Need
- 2 - Trending Critical (Year 1)
- 3 - Necessary (Years 2-5) - \$5,597,951.00
- 4 - Recommended (Years 6-10)
- 5 - Grandfathered Project triggered

Budget Estimate Total: \$5,597,951.00

Executive Summary

The condition of a Campus is the accumulation of the condition evaluations of the component buildings and the site. Building condition is evaluated based on the functional systems and elements of a building and organized according to the **UNIFORMAT II Elemental Classification**. eCOMET uses parametric estimating methodology whereby historical costs for systems, components and equipment are collected by entities such as RSMeans and converted to unit costs, typically \$/SF, and used to approximate future construction costs or replacement values. The grouping of these systems and elements and applying a current replacement value to them develops a representative building cost model. Cost Models are developed for similar building types and functions. Systems and their elements are evaluated based on their current replacement values, life cycles, installation dates and next renewal dates. Systems and their elements that are within their useful lives are further evaluated to identify current deficient conditions that may have a significant impact on a system's or element's remaining service life, and to determine if they are beyond their predicted expected life. The system's or element's current replacement value is based on RS Means Commercial Cost Data.

Following are the cost model's system details for this facility. The **Current Replacement Value (CRV)** is the amount needed to replace the property of the same present scope. The **Repair Cost** (the sum of the cost to repair/replace the Deficiencies) represents the budgeted contractor-installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging of the work. **Facility Condition Index (FCI)** is an industry-standard measurement of facility condition calculated as the ratio of the costs to correct a facility's deficiencies (Condition Needs) to the facility's Current Replacement Value. It ranges from 0% (new) to 100% (very poor - beyond service life). The **Remaining Service Life Index (RSLI)** is calculated as the sum of a renewable system's **Remaining Service Life (RSL)** divided by the sum of a system's Replacement Value (both values exclude soft-cost to simplify calculation updates) expressed as a percentage ranging from 100% (new) to 0% (expired). The relationship between the key metrics FCI and RSLI is an important indicator, at either the facility, building, system, or component levels, of the condition trend and the imminent need for capital renewal. These indices exist in an inverse relationship wherein the FCI increases when systems reach their expected life-cycle age, whereas the RSLI decreases annually indicating the relative time remaining before reaching the life-cycle expiration age. For example, a facility or a system with a high RSLI and a low FCI indicates it is in the early portion of its useful life. However, a low RSLI indicates that expiration dates are approaching at which point the FCI would increase. The term **FCA Score** is the inverse of Total FCI and calculated as $100 - \text{Total FCI}$ (without the %) where 100 is best and 0 is worst condition.

Function:	Elementary
Gross Area (SF):	228,355
Year Built:	1963
Last Renovation:	2004
Replacement Value:	\$42,391,638
Repair Cost:	\$5,396,999.00
Total FCI:	12.73 %
Total RSLI:	48.00 %
FCA Score:	87.27



Description:


The narrative for this building is included in the Executive Summary Description at the front of this report.

Attributes: This asset has no attributes.


Dashboard Summary

Function:	Elementary	Gross Area:	228,355
Year Built:	1963	Last Renovation:	2004
Repair Cost:	\$5,396,999	Replacement Value:	\$42,391,638
FCI:	12.73 %	RSLI%:	48.00 %


Deficiency By Category




Deficiency By Priority



Deficiency By System



10 Year Investment Forecast



Condition Summary

The Table below shows the RSLI and FCI for each major building system shown at the UNIFORMAT II classification Level 2. Note that Systems with lower FCIs require less investment than systems with higher FCIs.

UNIFORMAT Classification	RSLI %	FCI %	Current Repair Cost
A10 - Foundations	44.00 %	0.00 %	\$0.00
B10 - Superstructure	44.00 %	0.00 %	\$0.00
B20 - Exterior Enclosure	46.37 %	0.00 %	\$0.00
B30 - Roofing	26.70 %	0.00 %	\$0.00
C10 - Interior Construction	45.45 %	0.00 %	\$0.00
C20 - Stairs	44.00 %	0.00 %	\$0.00
C30 - Interior Finishes	68.02 %	6.14 %	\$262,664.00
D10 - Conveying	25.00 %	0.00 %	\$0.00
D20 - Plumbing	30.70 %	0.00 %	\$0.00
D30 - HVAC	40.52 %	64.05 %	\$4,533,989.00
D40 - Fire Protection	43.83 %	13.10 %	\$165,786.00
D50 - Electrical	72.85 %	0.00 %	\$0.00
E10 - Equipment	25.00 %	0.00 %	\$0.00
E20 - Furnishings	25.00 %	0.00 %	\$0.00
F10 - Special Construction	0.00 %	110.00 %	\$434,560.00
Totals:	48.00 %	12.73 %	\$5,396,999.00

Photo Album

The photo album consists of the various cardinal compass directions of the building..

1). Northwest Elevation - Dec 26, 2019



2). West Elevation - Dec 26, 2019



3). West Elevation - Dec 26, 2019



4). North Elevation - Dec 26, 2019



5). North East - Dec 26, 2019



6). Southwest Elevation - Dec 26, 2019



Condition Detail

This section of the report contains results of the Facility Condition Assessment. The building is separated into system components based on UNIFORMAT II. The columns in the System Listing table represent the following:

1. System Code: A code that identifies the system.
2. System Description: A brief description of a system present in the building.
3. Unit Price \$: The unit price of the system.
4. UoM: The unit of measure of the system.
5. Qty: The quantity for the system
6. Life: Building Owners and Managers Association (BOMA) recommended system design life.
7. Year Installed: The date of system installation.
8. Calc Next Renewal Year: The date of system expiration based on the life, NR stands for non renewable.
9. Next Renewal Year: The suggested system expiration date by the assessor based on visual inspection.
10. RSLI: The Remaining Service Life Index of the system.
11. FCI: The Facility Condition Index of the system.
12. RSL: Remaining Service Life in years.
13. eCR: eCOMET Condition Rating (not used in this assessment)
14. Deficiency \$: The financial investment to repair/replace system to address deficiency.
15. Replacement Value \$: The replacement cost of the system as new construction.

System Listing

The System Listing table below lists each of the systems organized by their UNIFORMAT II classification. The assessment team was tasked with recording the most recent replacement year of each system, determining the remaining service life based on the theoretical life, and evaluating the condition to confirm the forecast next replacement year. The system listing is the basis for all data contained in the Building Assessment Report.

System Code	System Description	Unit Price \$	UoM	Qty	Life	Year Installed	Calc Next Renewal Year	Next Renewal Year	RSLI%	FCI%	RSL	eCR	Deficiency \$	Replacement Value \$
A1010	Standard Foundations	\$6.56	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$1,498,009
A1030	Slab on Grade	\$6.73	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$1,536,829
B1010	Floor Construction	\$19.34	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$4,416,386
B1020	Roof Construction	\$13.08	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$2,986,883
B2010	Exterior Walls	\$15.51	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$3,541,786
B2020	Exterior Windows	\$9.26	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$2,114,567
B2030	Exterior Doors	\$0.89	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$203,236
B3010105	Built-Up	\$7.15	S.F.	89,830	25	2000	2025		24.00 %	0.00 %	6			\$642,285
B3020	Roof Openings	\$1.94	S.F.	89,830	30	2000	2030		36.67 %	0.00 %	11			\$174,270
C1010	Partitions	\$6.03	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$1,376,981
C1020	Interior Doors	\$3.93	S.F.	228,355	40	2004	2044		62.50 %	0.00 %	25			\$897,435
C1030	Fittings	\$2.85	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$650,812
C2010	Stair Construction	\$3.08	S.F.	228,355	100	1963	2063		44.00 %	0.00 %	44			\$703,333
C3010220	Tile	\$9.25	S.F.	50,000	30	2004	2034		50.00 %	0.00 %	15			\$462,500
C3010230	Paint & Covering	\$1.47	S.F.	178,355	10	2004	2014		0.00 %	0.00 %	-5			\$262,182
C3020405	Epoxy	\$17.30	S.F.	8,000	15	2004	2019		0.00 %	118.00 %	0		\$163,312.00	\$138,400
C3020420	Ceramic Tile	\$7.50	S.F.	50,000	50	2004	2054		70.00 %	0.00 %	35			\$375,000
C3020901	Carpet	\$11.29	S.F.	8,000	8	2004	2012		0.00 %	110.00 %	-7		\$99,352.00	\$90,320
C3020903	VCT	\$3.48	S.F.	133,355	15	2004	2019	2024	33.33 %	0.00 %	5			\$464,075
C3020999	Other - Rubber or Neoprene	\$26.67	S.F.	6,000	10	2004	2014	2024	50.00 %	0.00 %	5			\$160,020
C3020999	Other - Wood	\$13.79	S.F.	8,000	50	2004	2054		70.00 %	0.00 %	35			\$110,320
C3030	Ceiling Finishes	\$9.70	S.F.	228,355	20	2018	2038		95.00 %	0.00 %	19			\$2,215,044
D1010	Elevators and Lifts	\$1.37	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$312,846
D2010	Plumbing Fixtures	\$6.84	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$1,561,948
D2020	Domestic Water Distribution	\$0.76	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$173,550
D2030	Sanitary Waste	\$1.86	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$424,740
D2040	Rain Water Drainage	\$0.45	S.F.	228,355	20	2000	2020		5.00 %	0.00 %	1			\$102,760
D3010	Energy Supply	\$0.61	S.F.	228,355	30	2018	2048		96.67 %	0.00 %	29			\$139,297
D3020	Heat Generating Systems	\$3.88	S.F.	228,355	20	2020	2040		105.00 %	0.00 %	21			\$886,017
D3030	Cooling Generating Systems	\$6.56	S.F.	228,355	20	2004	2024	2019	0.00 %	110.00 %	0		\$1,647,810.00	\$1,498,009
D3040	Distribution Systems	\$11.49	S.F.	228,355	20	2004	2024	2019	0.00 %	110.00 %	0		\$2,886,179.00	\$2,623,799
D3050	Terminal & Package Units	\$6.08	S.F.	228,355	15	2018	2033		93.33 %	0.00 %	14			\$1,388,398

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System Code	System Description	Unit Price \$	UoM	Qty	Life	Year Installed	Calc Next Renewal Year	Next Renewal Year	RSLI%	FCI%	RSL	eCR	Deficiency \$	Replacement Value \$
D3060	Controls & Instrumentation	\$2.38	S.F.	228,355	15	2018	2033		93.33 %	0.00 %	14			\$543,485
D4010	Sprinklers	\$4.41	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$1,007,046
D4020	Standpipes	\$0.35	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$79,924
D4030	Fire Protection Specialties	\$0.12	S.F.	228,355	15	2010	2025		40.00 %	0.00 %	6			\$27,403
D4090	Other Fire Protection Systems	\$0.66	S.F.	228,355	15	2004	2019		0.00 %	110.00 %	0		\$165,786.00	\$150,714
D5010	Electrical Service/Distribution	\$2.48	S.F.	228,355	20	2018	2038		95.00 %	0.00 %	19			\$566,320
D5020	Branch Wiring	\$5.11	S.F.	228,355	20	2018	2038		95.00 %	0.00 %	19			\$1,166,894
D5020	Lighting	\$7.66	S.F.	228,355	20	2018	2038		95.00 %	0.00 %	19			\$1,749,199
D5030810	Security & Detection Systems	\$1.51	Ea.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$344,816
D5030910	Fire Alarm Systems	\$2.74	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$625,693
D5030920	Data Communication	\$3.56	S.F.	228,355	25	2004	2029		40.00 %	0.00 %	10			\$812,944
D5090	Other Electrical Systems	\$0.38	S.F.	228,355	15	2004	2019	2023	26.67 %	0.00 %	4			\$86,775
E1020	Institutional Equipment	\$0.12	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$27,403
E1090	Other Equipment	\$0.84	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$191,818
E2010	Fixed Furnishings	\$2.12	S.F.	228,355	20	2004	2024		25.00 %	0.00 %	5			\$484,113
F1040	Special Facilities Pool	\$1.73	S.F.	228,355	20	1970	1990		0.00 %	110.00 %	-29		\$434,560.00	\$395,054
Total									48.00 %	12.73 %			\$5,396,999.00	\$42,391,638

System Notes



The facility description in the executive summary contains an overview of each system. The system notes listed below provide additional information on select systems found within the facility.

System: B2010 - Exterior Walls




Note:

System: B2020 - Exterior Windows



Note:

System: B2030 - Exterior Doors



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: B3010105 - Built-Up



Note:

System: B3020 - Roof Openings



Note:



System: C1010 - Partitions



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: C1020 - Interior Doors




Note:

System: C1030 - Fittings



Note:



System: C2010 - Stair Construction



Note:



School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: C3010220 - Tile



Note:

System: C3010230 - Paint & Covering



Note:


System: C3020405 - Epoxy



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: C3020420 - Ceramic Tile




Note:

System: C3020901 - Carpet



Note:




System: C3020903 - VCT



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: C3020999 - Other - Rubber or Neoprene



Note:

System: C3020999 - Other - Wood



Note:


System: C3030 - Ceiling Finishes



Note:



School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D1010 - Elevators and Lifts




Note:

System: D2010 - Plumbing Fixtures



Note:



System: D2020 - Domestic Water Distribution



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D2030 - Sanitary Waste



Note:

System: D2040 - Rain Water Drainage



Note:

System: D3010 - Energy Supply



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D3020 - Heat Generating Systems



Note:

System: D3030 - Cooling Generating Systems



Note:

System: D3040 - Distribution Systems



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D3050 - Terminal & Package Units



Note:

System: D3060 - Controls & Instrumentation



Note:

System: D4010 - Sprinklers



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D4030 - Fire Protection Specialties



Note:

System: D4090 - Other Fire Protection Systems



Note:


System: D5010 - Electrical Service/Distribution



Note:



School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D5020 - Branch Wiring



Note:

System: D5020 - Lighting



Note:

System: D5030810 - Security & Detection Systems



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: D5030910 - Fire Alarm Systems



Note:

System: D5030920 - Data Communication



Note:



System: D5090 - Other Electrical Systems



Note:

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System: E1020 - Institutional Equipment




Note:

System: E1090 - Other Equipment



Note:

System: E2010 - Fixed Furnishings



Note:

System: F1040 - Special Facilities Pool



Note:

Renewal Schedule

eCOMET forecasts future Capital Renewal projects for expiring systems based on the Calculated Next Renewal year found in the System Listing table. There is a 3% yearly inflation factor applied to the system costs expiring in the future. The table below reflects Capital Renewal projects over the next 10 years. Note: Blank cells (or \$0) indicate no systems are scheduled for renewal in that year.

Inflation Rate: 3%

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
Total:	\$5,396,999	\$1,120,285	\$0	\$0	\$107,432	\$6,393,087	\$1,240,059	\$0	\$125,856	\$0	\$1,589,367	\$15,973,085
* A - Substructure	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A10 - Foundations	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A1010 - Standard Foundations	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A1030 - Slab on Grade	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B - Shell	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B10 - Superstructure	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* B1010 - Floor Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* B1020 - Roof Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B20 - Exterior Enclosure	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* B2010 - Exterior Walls	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B2020 - Exterior Windows	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B2030 - Exterior Doors	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B30 - Roofing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B3010 - Roof Coverings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B3010105 - Built-Up	\$0	\$0	\$0	\$0	\$0	\$0	\$1,204,067	\$0	\$0	\$0	\$0	\$1,204,067
B3020 - Roof Openings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C - Interiors	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C10 - Interior Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C1010 - Partitions	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C1020 - Interior Doors	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C1030 - Fittings	\$0	\$0	\$0	\$0	\$0	\$829,916	\$0	\$0	\$0	\$0	\$0	\$829,916
C20 - Stairs	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* C2010 - Stair Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C30 - Interior Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3010 - Wall Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0

School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
C3010220 - Tile	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3010230 - Paint & Covering	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$387,585	\$387,585
C3020 - Floor Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3020405 - Epoxy	\$163,312	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$163,312
C3020420 - Ceramic Tile	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3020901 - Carpet	\$99,352	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$125,856	\$0	\$0	\$225,208
C3020903 - VCT	\$0	\$0	\$0	\$0	\$0	\$833,886	\$0	\$0	\$0	\$0	\$0	\$833,886
C3020999 - Other - Rubber or Neoprene	\$0	\$0	\$0	\$0	\$0	\$204,058	\$0	\$0	\$0	\$0	\$0	\$204,058
C3020999 - Other - Wood	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3030 - Ceiling Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D - Services	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D10 - Conveying	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D1010 - Elevators and Lifts	\$0	\$0	\$0	\$0	\$0	\$398,942	\$0	\$0	\$0	\$0	\$0	\$398,942
D20 - Plumbing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D2010 - Plumbing Fixtures	\$0	\$0	\$0	\$0	\$0	\$1,991,799	\$0	\$0	\$0	\$0	\$0	\$1,991,799
D2020 - Domestic Water Distribution	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D2030 - Sanitary Waste	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D2040 - Rain Water Drainage	\$0	\$116,427	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$116,427
D30 - HVAC	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D3010 - Energy Supply	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D3020 - Heat Generating Systems	\$0	\$1,003,858	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,003,858
D3030 - Cooling Generating Systems	\$1,647,810	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,647,810
D3040 - Distribution Systems	\$2,886,179	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2,886,179
D3050 - Terminal & Package Units	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D3060 - Controls & Instrumentation	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D40 - Fire Protection	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D4010 - Sprinklers	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D4020 - Standpipes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D4030 - Fire Protection Specialties	\$0	\$0	\$0	\$0	\$0	\$0	\$35,992	\$0	\$0	\$0	\$0	\$35,992
D4090 - Other Fire Protection Systems	\$165,786	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$165,786
D50 - Electrical	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5010 - Electrical Service/Distribution	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0


School Assessment Report - 1963_1970 Bldg 4010 4010_4011

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
D5020 - Branch Wiring	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5020 - Lighting	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5030 - Communications and Security	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5030810 - Security & Detection Systems	\$0	\$0	\$0	\$0	\$0	\$439,710	\$0	\$0	\$0	\$0	\$0	\$439,710
D5030910 - Fire Alarm Systems	\$0	\$0	\$0	\$0	\$0	\$797,884	\$0	\$0	\$0	\$0	\$0	\$797,884
D5030920 - Data Communication	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,201,781	\$1,201,781
D5090 - Other Electrical Systems	\$0	\$0	\$0	\$0	\$107,432	\$0	\$0	\$0	\$0	\$0	\$0	\$107,432
E - Equipment & Furnishings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
E10 - Equipment	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
E1020 - Institutional Equipment	\$0	\$0	\$0	\$0	\$0	\$34,944	\$0	\$0	\$0	\$0	\$0	\$34,944
E1090 - Other Equipment	\$0	\$0	\$0	\$0	\$0	\$244,607	\$0	\$0	\$0	\$0	\$0	\$244,607
E20 - Furnishings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
E2010 - Fixed Furnishings	\$0	\$0	\$0	\$0	\$0	\$617,341	\$0	\$0	\$0	\$0	\$0	\$617,341
F - Special Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
F10 - Special Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
F1040 - Special Facilities Pool	\$434,560	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$434,560

* Indicates non-renewable system

Forecasted Capital Renewal Requirement

The following chart shows the current building deficiencies and forecasted capital renewal (sustainment) requirements over the next ten years.




Condition Index Forecast by Investment Scenario

The chart below illustrates the effect of various investment levels on the building FCI for the next 10 years. The levels of investment shown below include:

- Current FCI: a variable investment amount based on renewing expired systems to maintain the current FCI for the building
- 2% Investment: an annual investment of 2% of the replacement value of the building, escalated for inflation
- 4% Investment: an annual investment of 4% of the replacement value of the building, escalated for inflation


Facility Investment vs. FCI Forecast



Year	Investment Amount Current FCI - 12.73%	2% Investment		4% Investment	
		Amount	FCI	Amount	FCI
2020	\$116,427	\$873,268.00	11.00 %	\$1,746,535.00	9.00 %
2021	\$0	\$899,466.00	9.00 %	\$1,798,932.00	5.00 %
2022	\$0	\$926,450.00	7.00 %	\$1,852,899.00	1.00 %
2023	\$107,432	\$954,243.00	5.22 %	\$1,908,486.00	-2.78 %
2024	\$6,393,087	\$982,871.00	16.23 %	\$1,965,741.00	6.23 %
2025	\$1,240,059	\$1,012,357.00	16.68 %	\$2,024,713.00	4.68 %
2026	\$0	\$1,042,727.00	14.68 %	\$2,085,455.00	0.68 %
2027	\$125,856	\$1,074,009.00	12.92 %	\$2,148,018.00	-3.08 %
2028	\$0	\$1,106,229.00	10.92 %	\$2,212,459.00	-7.08 %
2029	\$1,589,367	\$1,139,416.00	11.71 %	\$2,278,833.00	-8.29 %
Total:	\$9,572,228	\$10,011,036.00		\$20,022,071.00	

Deficiency Summary by System


Current deficiencies included assemblies that have reached or exceeded their design life or components of the assemblies that are in need of repair. Assemblies that have reached their design life are identified as current deficiencies and assigned the distress 'Beyond Useful Life'. The following chart lists all current deficiencies associated with this facility.



Budget Estimate Total: \$5,396,999.00

Deficiency Summary by Priority

The following chart shows the total repair costs broken down by priority. Assessors assigned deficiencies within eCOMET to one of the following priority categories:



Budget Estimate Total: \$5,396,999.00


Deficiency By Priority Investment Table

The table below shows the current investment cost grouped by deficiency priority and building system.

System Code	System Description	1 - Critical Immediate Need	2 - Trending Critical (Year 1)	3 - Necessary (Years 2-5)	4 - Recommended (Years 6-10)	5 - Grandfathered Project triggered	Total
C3020405	Epoxy	\$0.00	\$0.00	\$163,312.00	\$0.00	\$0.00	\$163,312.00
C3020901	Carpet	\$0.00	\$0.00	\$99,352.00	\$0.00	\$0.00	\$99,352.00
D3030	Cooling Generating Systems	\$0.00	\$0.00	\$1,647,810.00	\$0.00	\$0.00	\$1,647,810.00
D3040	Distribution Systems	\$0.00	\$0.00	\$2,886,179.00	\$0.00	\$0.00	\$2,886,179.00
D4090	Other Fire Protection Systems	\$0.00	\$0.00	\$165,786.00	\$0.00	\$0.00	\$165,786.00
F1040	Special Facilities Pool	\$0.00	\$0.00	\$434,560.00	\$0.00	\$0.00	\$434,560.00
	Total:	\$0.00	\$0.00	\$5,396,999.00	\$0.00	\$0.00	\$5,396,999.00

Deficiency Summary by Category

The following chart shows the total repair costs broken down by deficiency categories. Assessors assigned deficiencies to one of the following categories:



Deficiency Details by Priority

The deficiency detail notes listed below provide additional information on identified deficiencies found within the facility.

Priority 3 - Necessary (Years 2-5):

System: C3020405 - Epoxy



Location: Kitchen
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 8,000.00
Unit of Measure: S.F.
Estimate: \$163,312.00
Assessor Name: Eduardo Lopez
Date Created: 12/26/2019

Notes: The Epoxy floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: C3020901 - Carpet



Location: Throughout Building
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 8,000.00
Unit of Measure: S.F.
Estimate: \$99,352.00
Assessor Name: Eduardo Lopez
Date Created: 12/26/2019

Notes: The carpet floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: D3030 - Cooling Generating Systems



Location: Throughout Building
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 228,355.00
Unit of Measure: S.F.
Estimate: \$1,647,810.00
Assessor Name: Eduardo Lopez
Date Created: 10/06/2020

Notes: The cooling generating system is beyond its expected service life and should be scheduled for replacement.

System: D3040 - Distribution Systems



Location: Throughout Building
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 228,355.00
Unit of Measure: S.F.
Estimate: \$2,886,179.00
Assessor Name: Eduardo Lopez
Date Created: 10/06/2020

Notes: The distribution system is beyond its expected service life and should be scheduled for replacement.

System: D4090 - Other Fire Protection Systems



Location: Throughout Building
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 228,355.00
Unit of Measure: S.F.
Estimate: \$165,786.00
Assessor Name: Eduardo Lopez
Date Created: 10/01/2019

Notes: The kitchen exhaust hood system warrants upgrades based on usage and age. This deficiency provides a budgetary consideration for universal upgrades to the system.

System: F1040 - Special Facilities Pool



Location: Pool
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 228,355.00
Unit of Measure: S.F.
Estimate: \$434,560.00
Assessor Name: Eduardo Lopez
Date Created: 02/21/2020

Notes: The Pool was not included in the recent renovation efforts. The system is abandoned in place. This deficiency provides a budgetary consideration to renew the Pool for this school.

Executive Summary

The condition of a Campus is the accumulation of the condition evaluations of the component buildings and the site. Building condition is evaluated based on the functional systems and elements of a building and organized according to the **UNIFORMAT II Elemental Classification**. eCOMET uses parametric estimating methodology whereby historical costs for systems, components and equipment are collected by entities such as RSMeans and converted to unit costs, typically \$/SF, and used to approximate future construction costs or replacement values. The grouping of these systems and elements and applying a current replacement value to them develops a representative building cost model. Cost Models are developed for similar building types and functions. Systems and their elements are evaluated based on their current replacement values, life cycles, installation dates and next renewal dates. Systems and their elements that are within their useful lives are further evaluated to identify current deficient conditions that may have a significant impact on a system's or element's remaining service life, and to determine if they are beyond their predicted expected life. The system's or element's current replacement value is based on RS Means Commercial Cost Data.

Following are the cost model's system details for this facility. The **Current Replacement Value (CRV)** is the amount needed to replace the property of the same present scope. The **Repair Cost** (the sum of the cost to repair/replace the Deficiencies) represents the budgeted contractor-installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging of the work. **Facility Condition Index (FCI)** is an industry-standard measurement of facility condition calculated as the ratio of the costs to correct a facility's deficiencies (Condition Needs) to the facility's Current Replacement Value. It ranges from 0% (new) to 100% (very poor - beyond service life). The **Remaining Service Life Index (RSLI)** is calculated as the sum of a renewable system's **Remaining Service Life (RSL)** divided by the sum of a system's Replacement Value (both values exclude soft-cost to simplify calculation updates) expressed as a percentage ranging from 100% (new) to 0% (expired). The relationship between the key metrics FCI and RSLI is an important indicator, at either the facility, building, system, or component levels, of the condition trend and the imminent need for capital renewal. These indices exist in an inverse relationship wherein the FCI increases when systems reach their expected life-cycle age, whereas the RSLI decreases annually indicating the relative time remaining before reaching the life-cycle expiration age. For example, a facility or a system with a high RSLI and a low FCI indicates it is in the early portion of its useful life. However, a low RSLI indicates that expiration dates are approaching at which point the FCI would increase. The term **FCA Score** is the inverse of Total FCI and calculated as $100 - \text{Total FCI}$ (without the %) where 100 is best and 0 is worst condition.

Function:

Gross Area (SF):	228,355
Year Built:	1963
Last Renovation:	2004
Replacement Value:	\$6,177,002
Repair Cost:	\$200,952.00
Total FCI:	3.25 %
Total RSLI:	52.28 %
FCA Score:	96.75



Description:

The narrative for this site is included in the Executive Summary Description at the front of this report.

Attributes: This asset has no attributes.


Dashboard Summary

Function:		Gross Area:	228,355
Year Built:	1963	Last Renovation:	2004
Repair Cost:	\$200,952	Replacement Value:	\$6,177,002
FCI:	3.25 %	RSLI%:	52.28 %


Deficiency By Category




Deficiency By Priority



Deficiency By System



10 Year Investment Forecast



Condition Summary

The Table below shows the RSLI and FCI for each major building system shown at the UNIFORMAT II classification Level 2. Note that Systems with lower FCIs require less investment than systems with higher FCIs.

UNIFORMAT Classification	RSLI %	FCI %	Current Repair Cost
G20 - Site Improvements	52.46 %	5.56 %	\$200,952.00
G30 - Site Mechanical Utilities	70.00 %	0.00 %	\$0.00
G40 - Site Electrical Utilities	39.80 %	0.00 %	\$0.00
Totals:	52.28 %	3.25 %	\$200,952.00

Photo Album

The photo album consists of the various cardinal compass directions of the building..



Condition Detail

This section of the report contains results of the Facility Condition Assessment. The building is separated into system components based on UNIFORMAT II. The columns in the System Listing table represent the following:

1. System Code: A code that identifies the system.
2. System Description: A brief description of a system present in the building.
3. Unit Price \$: The unit price of the system.
4. UoM: The unit of measure of the system.
5. Qty: The quantity for the system
6. Life: Building Owners and Managers Association (BOMA) recommended system design life.
7. Year Installed: The date of system installation.
8. Calc Next Renewal Year: The date of system expiration based on the life, NR stands for non renewable.
9. Next Renewal Year: The suggested system expiration date by the assessor based on visual inspection.
10. RSLI: The Remaining Service Life Index of the system.
11. FCI: The Facility Condition Index of the system.
12. RSL: Remaining Service Life in years.
13. eCR: eCOMET Condition Rating (not used in this assessment)
14. Deficiency \$: The financial investment to repair/replace system to address deficiency.
15. Replacement Value \$: The replacement cost of the system as new construction.

System Listing

The System Listing table below lists each of the systems organized by their UNIFORMAT II classification. The assessment team was tasked with recording the most recent replacement year of each system, determining the remaining service life based on the theoretical life, and evaluating the condition to confirm the forecast next replacement year. The system listing is the basis for all data contained in the Building Assessment Report.

System Code	System Description	Unit Price \$	UoM	Qty	Life	Year Installed	Calc Next Renewal Year	Next Renewal Year	RSLI%	FCI%	RSL	eCR	Deficiency \$	Replacement Value \$
G2010	Roadways	\$2.37	S.F.	228,355	35	2004	2039		57.14 %	0.00 %	20			\$541,201
G2020	Parking Lots	\$8.00	S.F.	228,355	35	2004	2039		57.14 %	0.00 %	20			\$1,826,840
G2030	Pedestrian Paving	\$2.33	S.F.	228,355	35	2004	2039		57.14 %	0.00 %	20			\$532,067
G2040105	Fence & Guardrails	\$1.15	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$262,608
G2040950	Playing Field	\$0.80	S.F.	228,355	10	2004	2014		0.00 %	110.00 %	-5		\$200,952.00	\$182,684
G2050	Landscaping	\$1.18	S.F.	228,355	25	2004	2029		40.00 %	0.00 %	10			\$269,459
G3010	Water Supply	\$1.09	S.F.	228,355	50	2004	2054		70.00 %	0.00 %	35			\$248,907
G3020	Sanitary Sewer	\$2.20	S.F.	228,355	50	2004	2054		70.00 %	0.00 %	35			\$502,381
G3030	Storm Sewer	\$1.25	S.F.	228,355	50	2004	2054		70.00 %	0.00 %	35			\$285,444
G4010	Electrical Distribution	\$3.20	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$730,736
G4020	Site Lighting	\$1.46	S.F.	228,355	30	1990	2020		3.33 %	0.00 %	1			\$333,398
G4030	Site Communication and Security	\$2.02	S.F.	228,355	30	2004	2034		50.00 %	0.00 %	15			\$461,277
Total									52.28 %	3.25 %			\$200,952.00	\$6,177,002

System Notes

The facility description in the executive summary contains an overview of each system. The system notes listed below provide additional information on select systems found within the facility.

System: G2010 - Roadways



Note:

System: G2020 - Parking Lots



Note:


System: G2030 - Pedestrian Paving



Note:


School Assessment Report - Site

System: G2040105 - Fence & Guardrails



Note:

System: G2040950 - Playing Field



Note:

System: G2050 - Landscaping



Note:

School Assessment Report - Site

System: G3010 - Water Supply




Note:

System: G3020 - Sanitary Sewer



Note:

System: G3030 - Storm Sewer



Note:

School Assessment Report - Site

System: G4010 - Electrical Distribution





Note:

System: G4020 - Site Lighting



Note: Site lighting fixtures are original. Exterior building lighting fixtures were replaced during 2004 renovation, but are included in D5020 Lighting & Branch Wiring.

System: G4030 - Site Communication and Security



Note:

Renewal Schedule

eCOMET forecasts future Capital Renewal projects for expiring systems based on the Calculated Next Renewal year found in the System Listing table. There is a 3% yearly inflation factor applied to the system costs expiring in the future. The table below reflects Capital Renewal projects over the next 10 years. Note: Blank cells (or \$0) indicate no systems are scheduled for renewal in that year.


Inflation Rate: 3%

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
Total:	\$200,952	\$377,740	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$668,406	\$1,247,098
G - Building Sitework	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G20 - Site Improvements	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2010 - Roadways	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2020 - Parking Lots	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2030 - Pedestrian Paving	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2040 - Site Development	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2040105 - Fence & Guardrails	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2040950 - Playing Field	\$200,952	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$270,063	\$471,015
G2050 - Landscaping	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$398,344	\$398,344
G30 - Site Mechanical Utilities	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G3010 - Water Supply	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G3020 - Sanitary Sewer	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G3030 - Storm Sewer	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G40 - Site Electrical Utilities	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G4010 - Electrical Distribution	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G4020 - Site Lighting	\$0	\$377,740	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$377,740
G4030 - Site Communication and Security	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0

* Indicates non-renewable system

Forecasted Capital Renewal Requirement

The following chart shows the current building deficiencies and forecasted capital renewal (sustainment) requirements over the next ten years.




Condition Index Forecast by Investment Scenario

The chart below illustrates the effect of various investment levels on the building FCI for the next 10 years. The levels of investment shown below include:

- Current FCI: a variable investment amount based on renewing expired systems to maintain the current FCI for the building
- 2% Investment: an annual investment of 2% of the replacement value of the building, escalated for inflation
- 4% Investment: an annual investment of 4% of the replacement value of the building, escalated for inflation


Facility Investment vs. FCI Forecast



Year	Investment Amount Current FCI - 3.25%	2% Investment		4% Investment	
		Amount	FCI	Amount	FCI
2020	\$377,740	\$127,246.00	7.19 %	\$254,492.00	5.19 %
2021	\$0	\$131,064.00	5.19 %	\$262,127.00	1.19 %
2022	\$0	\$134,996.00	3.19 %	\$269,991.00	-2.81 %
2023	\$0	\$139,045.00	1.19 %	\$278,091.00	-6.81 %
2024	\$0	\$143,217.00	-0.81 %	\$286,434.00	-10.81 %
2025	\$0	\$147,513.00	-2.81 %	\$295,027.00	-14.81 %
2026	\$0	\$151,939.00	-4.81 %	\$303,877.00	-18.81 %
2027	\$0	\$156,497.00	-6.81 %	\$312,994.00	-22.81 %
2028	\$0	\$161,192.00	-8.81 %	\$322,383.00	-26.81 %
2029	\$668,406	\$166,027.00	-2.76 %	\$332,055.00	-22.76 %
Total:	\$1,046,146	\$1,458,736.00		\$2,917,471.00	


Deficiency Summary by System

Current deficiencies included assemblies that have reached or exceeded their design life or components of the assemblies that are in need of repair. Assemblies that have reached their design life are identified as current deficiencies and assigned the distress 'Beyond Useful Life'. The following chart lists all current deficiencies associated with this facility.



Deficiency Summary by Priority

The following chart shows the total repair costs broken down by priority. Assessors assigned deficiencies within eCOMET to one of the following priority categories:



Budget Estimate Total: \$200,952.00


Deficiency By Priority Investment Table

The table below shows the current investment cost grouped by deficiency priority and building system.

System Code	System Description	1 - Critical Immediate Need	2 - Trending Critical (Year 1)	3 - Necessary (Years 2-5)	4 - Recommended (Years 6-10)	5 - Grandfathered Project triggered	Total
G2040950	Playing Field	\$0.00	\$0.00	\$200,952.00	\$0.00	\$0.00	\$200,952.00
	Total:	\$0.00	\$0.00	\$200,952.00	\$0.00	\$0.00	\$200,952.00

Deficiency Summary by Category

The following chart shows the total repair costs broken down by deficiency categories. Assessors assigned deficiencies to one of the following categories:



Deficiency Details by Priority

The deficiency detail notes listed below provide additional information on identified deficiencies found within the facility.

Priority 3 - Necessary (Years 2-5):

System: G2040950 - Playing Field



Location: Site
Distress: Beyond Expected Life
Category: Deferred Maintenance
Priority: 3 - Necessary (Years 2-5)
Correction: Renew System
Qty: 228,355.00
Unit of Measure: S.F.
Estimate: \$200,952.00
Assessor Name: Hayden Collins
Date Created: 12/27/2019

Notes: This school has an area that include a playing field. This deficiency provides a budgetary consideration for the universal upgrades to the complex and additional fencing for the school site.

Glossary

Abandoned	A facility owned by the city that is not occupied and not maintained. See Vacant.
Additional Cost	Total project cost is composed of hard and soft costs. Additional costs or soft expenses are costs that are necessary to accomplish the corrective work but are not directly attributable to the deficient systems direct construction cost, which are often referred to as hard cost. The components included in the soft costs vary by owner but usually include architect and contractor fees, contingencies and other owner-incurred costs necessary to fully develop and build a facility. These soft cost factors can be adjusted anytime within the eCOMET database at the owner's discretion.
Assessment	Visual survey of a facility to determine its condition. It involves looking at the age of systems, reviewing information from local sources and visual evidence of potential problems to assign a condition rating. It does not include destructive testing of materials or testing of systems or equipment for functionality.
ASTM	ASTM International (ASTM): Originally known as the American Society for Testing and Materials, ASTM is an international standards organization that develops and publishes voluntary consensus technical standards for a wide range of materials, products, systems, and services.
BOMA	Building Owners Managers of America (BOMA): National organization of public and private facility owners focused on building management tools and maintenance techniques. eCOMET® reference: Building and component system effective economic life expectancies.
Building	A fully enclosed and roofed structure that can be traversed internally without exiting to the exterior.
Building Addition	An area, space or component of a building added to a building after the original building's year built date. NOTE: As a convention in the database, "Main" was used to designate the original building. Additions built prior to 1987 (30 years) were included in the main building area calculations to reflect their predicted system depreciation characteristics and remaining service life.
Building Systems	eCOMET® uses UNIFORMAT II to organize building data. UNIFORMAT II was originally developed by the federal General Services Administration to delineate building costs by systems rather than by material. UNIFORMAT II was formalized by an NIST standard, NISTIR 6389 in 1999. It has been further quantified and updated by ASTM standard 2005, E1557-05. The Construction Specifications Institute, CSI, has taken over the standard as part of their MasterFormat / MasterSpec system.
Calculated Next Renewal	The year a system or building element would be expected to expire based solely on the date it was installed and the expected useful lifetime for that kind of system.
Capital Renewal	Capital renewal refers to the cyclical replacement of building systems or elements as they become obsolete or beyond their useful life. It is not normally included in an annual operating/maintenance budget. See calculated next renewal and next renewal.
City Cost Index (CCI)	RS Means provides building system, equipment, and construction costs at a national level. The City Cost Index (also provided by RS Means) localizes those costs to a geographic region of the United States. In eCOMET®, each building or site is assigned a City Cost Index, which adjusts all of the associated costs for systems, deficiencies and inventory to the local value.
Condition	Condition refers to the state of physical fitness or readiness of a facility system or system element for its intended use.
Condition Budget	The Condition Budget, also known as Condition Needs, represents the budgeted contractor installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging the work.

School Assessment Report - Hollis Innovation Academy

Condition Index (CI) %	The Condition Index (CI) also known as the Remaining Service Life Index (RSLI) is calculated as the sum of a renewable system's Remaining Service Life (RSL) Value divided by the sum of a system's Replacement Value (both values exclude soft cost to simplify calculation updates) expressed as a percentage ranging from 100.00% (new) to 0.00% (expired - no remaining life).
Correction	Correction refers to an assessor's recommended deficiency repair or replacement action. For any system or element deficiency, there can be multiple and alternative solutions for its repair or replacement. A Correction is user defined and tied to a UNIFORMAT II element, or system it is intended to address. It excludes other peripheral costs that may also be included in the packaging of repair, replacement or renewal improvements that may also be triggered by the deficiency correction.
Cost Model	A cost model is a list of facility systems which could represent the installed systems a given facility. Included in the cost model are standard unit cost estimates, gross areas, life cycles and installed dates. Also represented is the repair cost for deficient systems, replacement values. See eCOMET® cost models.
Criteria	Criteria refer to the set of requirements, guidelines or standards that are assessed and rated to develop a score.
Current Period	The Current Period is the current year plus a user defined number of forward years.
Current Replacement Value (CRV)	The Current Replacement Value (CRV) of a facility, building or system represents the hypothetical cost of rebuilding or replacing an existing facility under today's codes and construction standards, using its current configuration. It is calculated by multiplying the gross area of the facility by a square foot cost developed in that facility's cost model. Replacement cost includes construction costs and owner's additional or soft costs for fees, permits and other expenses to reflect a total project cost.
Deferred Maintenance	Deferred maintenance is condition work deferred on a planned or unplanned basis to a future budget cycle or postponed until funds are available.
Deficiency	A deficiency is a repair item that is damaged, missing, inadequate or insufficient for an intended purpose.
Deficiency Category	Category refers to the type or class of a user defined deficiency grouping with shared or similar characteristics. Category descriptions include, but are not limited to: Accessibility Code Compliance, Appearance, Building Code Compliance, Deferred Maintenance, Energy, Environmental, Life Safety Code Compliance, and Safety.
Deficiency Priority	Priority refers to a deficiency's urgency for repair as determined by the assessment team. Five typical industry priority settings were used for the assessment: Priority 1 – Currently Critical; Priority 2 – Potentially Critical; Priority 3 – Necessary/Not Yet Critical; Priority 4 – Recommended.
Distress	Distress refers to a user-defined root cause of a deficiency. Distress descriptions are: Beyond Service Life, Damaged, Inadequate, Needs Remediation, and Missing.
eCOMET®	Energy and Condition Management Estimation Technology (eCOMET®) is Parsons proprietary facility asset management software developed to provide facility managers with a state of the art, web-based tool to develop and maintain a comprehensive database of FCA data and information used for facility asset management, maintenance and repair, and capital renewal planning. eCOMET® is used by Parsons and its clients as the primary tool for collecting FCA data, preparing cost estimates, generating individual facility reports and cost estimates, and developing the overall capital renewal program.
eCOMET® Cost Models	eCOMET cost models are derived from RS Means Square Foot Cost Data cost models and these models are used to develop the current replacement value (CRV) and assign life cycle costs to the various systems within a building. Cost models are assigned current costs-per-square-foot to establish replacement values. The Cost models are designed to represent a client specific facility that meets local standards cost trends.

School Assessment Report - Hollis Innovation Academy

Element	Elements are the major components that comprise building systems as defined by UNIFORMAT II.
Expected Life	Also referred to as Useful Life. See Useful Life definition.
Facility	A facility refers to site(s) building(s) or building addition(s) or combinations thereof that provide a particular service.
Facility Attributes	Customizable eCOMET fields to identify attributes specific to a facility. These fields are part of the eCOMET database set-up with the owner.
Facility Condition Assessment (FCA)	A facility condition assessment (FCA) is a visual inspection of buildings and grounds at a facility to identify and estimate current and future needed repairs or replacements of major systems for planning and budgeting purposes. It is typically performed for organizations that are tasked with the day to day maintenance, operation, and capital renewal (replacement) of building systems and components of a large inventory of facilities. The primary goal of an FCA is to objectively and quantifiably identify, inspect, and prioritize the repair and replacement needs of the building and ground systems (e.g., roofs, windows, doors, floor finishes, plumbing fixtures, parking lot, and sidewalks) within facilities that have either failed or have surpassed their service life, and to identify and forecast future capital replacement needs for systems that have not yet failed, but planned replacement of those systems is needed to ensure that the facilities will continue to meet the mission of the organization.
Facility Condition Index (FCI%)	FCI is an industry-standard measurement of a facility's condition that is the ratio of the cost to correct a facility's deficiencies to the Current Replacement Value of the facilities. The higher the FCI the poorer the condition of a facility. After an FCI is established for all buildings within a portfolio a building's condition can be ranked relative to other buildings. The FCI may also represent the condition of a portfolio based on the cumulative FCIs of the portfolio's facilities.
Forecast Period	The Forecast Period refers to a user defined number of years forward of the Current Period.
Gen (Generate)	The Cost Model has a Gen box for each system line item. By checking the box, eCOMET will generate life cycle deficiencies based on the Year Installed and the Life for that system. Systems that typically do not re-generate (foundations, floor construction, roof construction, basement walls, etc.) would not have the Gen box checked as those systems would not re-generate at the end of a life cycle. In those instances, it would be more practical and cost effective to demolish the entire facility than re-new those systems.
Gross Square Feet (GSF)	The size of the enclosed floor space of a building in square feet measured to the outside face of the enclosing wall.
Life Cycle	Life cycle refers to the period of time that a building or site system or element can be expected to adequately serve its intended function. Parsons assigns expected life cycles to all building systems based on Building Operators and Managers of America (BOMA) recommended life cycles, manufacturers suggested life, and RS Means cost data, and client-provided historical data. BOMA standards are a nationally recognized source of life cycle data for various components and/or systems associated with facilities. RS Means is a national company specializing in construction estimating and costs.
Next Renewal	Next Renewal refers to a manually-adjusted expected useful life of a system or element based on on-site inspection either by reducing or extending the Calculated Next Renewal to more accurately reflect current conditions.
Order of Magnitude	Order of Magnitude refers to a rough approximation made with a degree of knowledge and confidence that the budgeted, projected or estimated cost falls within a reasonable range of cost values.
Remaining Service Life (RSL)	RSL is the number of years service remaining for a system or equipment item. It is automatically calculated based on the difference between the current year and the 'Calculated Next Renewal' date or the 'Next Renewal' date whichever one is the later date.

School Assessment Report - Hollis Innovation Academy

Remaining Service Life Index (RSLI)	The Remaining Service Life Index (RSLI), also known as the Condition Index (CI), is calculated as the sum of a renewable system's or component's Remaining Service Life (RSL) Value divided by the sum of a system's or component's Replacement Value (both values exclude softcost to simplify calculation updates) expressed as a percentage ranging from 100.00% (new) to 0.00% (expired - no remaining service life).
Remaining Service Life Value	Remaining Service Life Value, also known as the RSL Weight, is a calculated value used to determine the RSLI and is equal to the system Value (Unit Cost * Qty) * RSL (not displayed).
Renewal Factors	Renewal factors represent the difference in cost of renovating or replacing an existing system, rather than new construction of a building system. For example, installing a new built-up roof on an existing building would include removing and disposing of the old roof, a cost not associated with new construction. Using a renewal premium to account for demolition and other difficulty costs, Parsons typically assigns a renewal factor of 110%.
Renewal Schedule	A timeline that provides the items that need repair the year in which the repair is needed and the estimated price of the renewal.
Repair Cost	Repair cost is the sum of all the deficiencies associated with a building or multiple buildings/facilities. It will include any applied soft costs or City Cost Indexes.
Replacement Value	See Current Replacement Value.
Site	A facility's grounds and its utilities, roadways, landscaping, fencing and other typical land improvements needed to support a facility.
Soft Costs	Soft Costs are a construction industry term that refers to expense items that are not considered direct construction costs. Soft costs are user-defined and include architectural, engineering, management, testing, and mitigation fees, and other owner pre- and post-construction expenses.
Sustainability	Sustainability refers to the collection of policies and strategies that meet society's present needs without compromising the ability of future generations to meet their own needs.
System	System refers to building and related site work elements as described by ASTM Uniformat II Classification for Building Elements (E1557-97) a format for classifying major facility elements common to most buildings. Elements usually perform a given function regardless of the design specification construction method or materials used. See also Uniformat II.
System Generated Deficiency	eCOMET automatically generates system deficiencies based on system life cycles using the systems installation dates as the base year. By adjusting the Next Renewal date ahead or behind the predicted or stated life cycle date, a system cost will come due earlier or later than the originally installed life cycle date. This utility accounts for good maintenance conditions and a longer life, or early expiration of a system life due to any number of adverse factors such as poor installation, acts of god, material defects, poor design applications and other factors that may shorten the life of a material or system. It is important to mention that the condition of the systems is not necessarily a reflection of maintenance practices, but a combination of system usage and age.
UNIFORMAT	ASTM UNIFORMAT II, Classification for Building Elements (E1557-97), a publication of the Construction Specification Institute (CSI), is a format used to classify major facility components common to most buildings. The format is based on functional elements or parts of a facility characterized by their functions without regard to the materials and methods used to accomplish them. These elements are often referred to as systems or assemblies.
Unit Price	The Unit Price (Raw) x the Additional Cost Template percentage.
Unit Price (Raw)	The actual \$/sq. ft. cost being used for the building and systems. It will include adjustments for the City Cost Index applied to the facility.

Useful Life	Also known as Expected Life, Useful Life refers to the intrinsic period of time a system or element is expected to perform as intended. Useful life is generally provided by manufacturers of materials, systems and elements through their literature, testing and experience. Useful Lives in the database are derived from the Building Owners and Managers (BOMA) organization's guidelines, RSMeans cost data, and from client- defined historical experience.
Vacant	Vacant refers to a facility that is not occupied but is a maintained facility. See Abandoned.
Year Built	The year that a building or addition was originally built based on substantial completion or occupancy.
Year Installed	The year a system or element was built or the most recent major renovation date where a minimum of 70% of the system's Current Replacement Value (CRV) was replaced.



Suitability Report - Full

Project #: 12382	County: Atlanta Public Schools	Site #: 5563
Project: APS Assessments 2019	Region: 761	Site: Hollis Innovation Academ
Grade Config: PK-7	Site Type: Elementary	Site Size: 5.00

Suitability	Rating	Score	Possible Score	Percent Score
Suitability - PK-8				
Learning Environment				
Learning Style Variety	Fair	3.25	5.00	65.00
Interior Environment	Good	1.60	2.00	80.00
Exterior Environment	Excel	1.50	1.50	100.00
General Classrooms				
Environment	Fair	2.41	3.70	65.00
Size	Excel	9.25	9.25	100.00
Location	Excel	2.78	2.78	100.00
Storage/Fixed Equip	Good	2.22	2.78	80.00
Kindergarten				
Environment	Excel	0.34	0.34	100.00
Size	Excel	0.84	0.84	100.00
Location	Excel	0.25	0.25	100.00
Storage/Fixed Equip	Excel	0.25	0.25	100.00
ECE				
Environment	Excel	0.34	0.34	100.00
Size	Excel	0.84	0.84	100.00
Location	Excel	0.25	0.25	100.00
Storage/Fixed Equip	Excel	0.25	0.25	100.00
Self-Contained Special Ed				
Environment	Excel	0.56	0.56	100.00
Size	Good	1.12	1.41	80.00
Location	Fair	0.27	0.42	65.00
Storage/Fixed Equip	Excel	0.42	0.42	100.00
Instructional Resource Rooms				
Environment	Poor	0.42	0.84	50.00
Size	Excel	2.11	2.11	100.00
Location	Fair	0.41	0.63	65.00
Storage/Fixed Equip	Excel	0.63	0.63	100.00
Science				
Environment	Good	0.62	0.77	80.00
Size	Excel	1.93	1.93	100.00
Location	Excel	0.58	0.58	100.00
Storage/Fixed Equip	Good	0.46	0.58	80.00
Music				
Environment	Good	0.60	0.76	80.00

Project #: 12382

County: Atlanta Public Schools

Site #: 5563

Project: APS Assessments 2019

Region: 761

Site: Hollis Innovation Academ

Grade Config: PK-7

Site Type: Elementary

Site Size: 5.00

Suitability	Rating	Score	Possible Score	Percent Score
Size	Excel	1.89	1.89	100.00
Location	Excel	0.57	0.57	100.00
Storage/Fixed Equip	Excel	0.57	0.57	100.00
Art				
Environment	Excel	0.44	0.44	100.00
Size	Excel	1.09	1.09	100.00
Location	Excel	0.33	0.33	100.00
Storage/Fixed Equip	Excel	0.33	0.33	100.00
Career Tech Ed				
Environment	Excel	1.22	1.22	100.00
Size	Excel	3.06	3.06	100.00
Location	Excel	0.92	0.92	100.00
Storage/Fixed Equip	Excel	0.92	0.92	100.00
Computer Labs				
Environment	Excel	0.30	0.30	100.00
Size	Excel	0.75	0.75	100.00
Location	Excel	0.23	0.23	100.00
Storage/Fixed Equip	Excel	0.23	0.23	100.00
P.E.				
Environment	Excel	2.06	2.06	100.00
Size	Excel	5.16	5.16	100.00
Location	Excel	1.55	1.55	100.00
Storage/Fixed Equip	Excel	1.55	1.55	100.00
Performing Arts				
Environment	Excel	0.47	0.47	100.00
Size	Excel	1.17	1.17	100.00
Location	Excel	0.35	0.35	100.00
Storage/Fixed Equip	Excel	0.35	0.35	100.00
Media Center				
Environment	Excel	0.69	0.69	100.00
Size	Excel	1.74	1.74	100.00
Location	Good	0.42	0.52	80.00
Storage/Fixed Equip	Excel	0.52	0.52	100.00
Restrooms (Student)	Good	0.72	0.91	80.00
Administration	Excel	2.27	2.27	100.00
Counseling	Good	0.33	0.41	80.00
Clinic	Excel	0.34	0.34	100.00
Staff WkRm/Toilets	Excel	0.91	0.91	100.00
Cafeteria	Fair	3.25	5.00	65.00
Food Service and Prep	Excel	7.84	7.84	100.00
Custodial and Maintenance	Excel	0.50	0.50	100.00
Outside				
Vehicular Traffic	Excel	3.00	3.00	100.00
Pedestrian Traffic	Excel	1.00	1.00	100.00
Parking	Fair	0.88	1.35	65.00
Athletic Courts and Fields	Fair	1.07	1.64	65.00

Project #: 12382

County: Atlanta Public Schools

Site #: 5563

Project: APS Assessments 2019

Region: 761

Site: Hollis Innovation Academ

Grade Config: PK-7

Site Type: Elementary

Site Size: 5.00

Suitability	Rating	Score	Possible Score	Percent Score
Safety and Security				
Fencing	Excel	1.22	1.22	100.00
Signage & Way Finding	Poor	0.08	0.15	50.00
Ease of Supervision	Fair	1.30	2.00	65.00
Controlled Entrances	Excel	0.50	0.50	100.00
Total For Site:		90.57	100.00	90.57

Comments

Suitability - PK-8

Hollis Innovation Academy serves students in grades PK through 8. It is an Expeditionary Learning school with a STEM focus. The school also serves as a center for autism and MOID. The building was built in 1963 to serve as a middle school. The ground floor has an inoperable swimming pool with adjoining locker rooms. The building hosts the Healing Community Center on site for families and the community to receive health services.

Suitability - PK-8->Learning Environment-->Interior Environment

The building is very hot and in some places has little air circulation.

Suitability - PK-8->General Classrooms-->Environment

Many classrooms are hot.

Suitability - PK-8->Self-Contained Special Ed-->Location

This space is far from the main entrance and is on the second floor. Access to the elevator, the clinic and other resources is challenging.

Suitability - PK-8->Instructional Resource Rooms-->Environment

The resource classrooms are located on the ground floor with no windows. These classes are next to the swimming pool and are muggy and hot.

Suitability - PK-8->Instructional Resource Rooms-->Location

The resource rooms are located on the ground floor far from all general education classrooms.

Suitability - PK-8->P.E.-->Size

The pool, dance spaces combined with the gym, meet the standard.

Suitability - PK-8->Restrooms (Student)

Student restrooms have poor ventilation.

Suitability - PK-8->Cafeteria

The cafeteria is an open space with a few large pole-like structures inhibiting views in the middle of the cafeteria.

Suitability - PK-8->Outside-->Vehicular Traffic

There is the opportunity for total separation of buses and cars.

Suitability - PK-8->Outside-->Parking

Parking spaces are insufficient.

Suitability - PK-8->Outside-->Athletic Courts and Fields

The play fields meet standards for elementary schools, however there is no track, football or baseball fields for the middle years.

Suitability - PK-8->Safety and Security-->Signage & Way Finding

External signs are not present. There are no safety and security signs. There is no visitor parking marked. The main entrance is not marked, nor is the rear entrance.

Project #: 12382

County: Atlanta Public Schools

Site #: 5563

Project: APS Assessments 2019

Region: 761

Site: Hollis Innovation Academ

Grade Config: PK-7

Site Type: Elementary

Site Size: 5.00

Suitability

Rating

Score

**Possible
Score**

**Percent
Score**

Suitability - PK-8->Safety and Security-->Ease of Supervision

There are a number of blind spots throughout the building. These blind spots are in alcoves and near the auditorium.