Atlanta Public Schools/ S. Atlanta Cluster

South Atlanta High School

Revised
School Assessment Report

November 10, 2020





Table of Contents

School Executive Summary		4
School Dashboard Summary		7
School Condition Summary		8
1973 Bldg 5010_5020		10
Executive Summary		10
Dashboard Summary		11
Condition Summary		12
Photo Album		13
Condition Detail		14
System Listing		15
System Notes		17
Renewal Schedule		31
Forecasted Sustainment Requirement	ent	34
Condition Index Forecast by Investmen	nt Scenario	35
Deficiency Summary By System		36
Deficiency Summary By Priority		37
Deficiency By Priority Investment		38
Deficiency Summary By Category		39
Deficiency Details By Priority		40
<u>Site</u>		45
Executive Summary		45
Dashboard Summary		46
Condition Summary		47
Photo Album		48
Condition Detail		49
System Listing		50
System Notes		51
Renewal Schedule		56
Forecasted Sustainment Requirement	ent	57

School Assessment Report

Condition Index Forecast by Investment Scenario	58
Deficiency Summary By System	59
Deficiency Summary By Priority	60
Deficiency By Priority Investment	61
Deficiency Summary By Category	62
Deficiency Details By Priority	63
Glossary	64

School Executive Summary

The condition of a Campus is the accumulation of the condition evaluations of the component buildings and the site. Building condition is evaluated based on the functional systems and elements of a building and organized according to the **UNIFORMAT II Elemental Classification**. eCOMET uses parametric estimating methodology whereby historical costs for systems, components and equipment are collected by entities such as RSMeans and converted to unit costs, typically \$/SF, and used to approximate future construction costs or replacement values. The grouping of these systems and elements and applying a current replacement value to them develops a representative building cost model. Cost Models are developed for similar building types and functions. Systems and their elements are evaluated based on their current replacement values, life cycles, installation dates and next renewal dates. Systems and their elements that are within their useful lives are further evaluated to identify current deficient conditions that may have a significant impact on a system's or element's remaining service life, and to determine if they are beyond their predicted expected life. The system's or element's current replacement value is based on RS Means Commercial Cost Data.

Following are the cost model's system details for this facility. The Current Replacement Value (CRV) is the amount needed to replace the property of the same present scope. The Repair Cost (the sum of the cost to repair/replace the Deficiencies) represents the budgeted contractor-installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging of the work. Facility Condition Index (FCI) is an industry-standard measurement of facility condition calculated as the ratio of the costs to correct a facility's deficiencies (Condition Needs) to the facility's Current Replacement Value. It ranges from 0% (new) to 100% (very poor - beyond service life). The **Remaining Service Life Index (RSLI)** is calculated as the sum of a renewable system's Remaining Service Life (RSL) divided by the sum of a system's Replacement Value (both values exclude softcost to simplify calculation updates) expressed as a percentage ranging from 100% (new) to 0% (expired). The relationship between the key metrics FCI and RSLI is an important indicator, at either the facility, building, system, or component levels, of the condition trend and the imminent need for capital renewal. These indices exist in an inverse relationship wherein the FCI increases when systems reach their expected life-cycle age, whereas the RSLI decreases annually indicating the relative time remaining before reaching the life-cycle expiration age. For example, a facility or a system with a high RSLI and a low FCI indicates it is in the early portion of its useful life. However, a low RSLI indicates that expiration dates are approaching at which point the FCI would increase. The term **FCA Score** is the inverse of Total FCI and calculated as 100-Total FCI (without the %) where 100 is best and 0 is worst condition.

Gross Area (SF): 277,779

Year Built: 1973

Last Renovation:

Replacement Value: \$58,919,453

Repair Cost: \$7,509,085.00

Total FCI: 12.74 %

Total RSLI: 41.48 %

FCA Score: 87.26



Description:

South Atlanta High School is located 800 Hutchens Road in Atlanta, Georgia. The multi sectioned four story, 86,370 square foot building was originally constructed in 1973 and shares this facility with 761-0108 South Atlanta School of Health and Medical Science, 761-0208 South Atlanta Law and Social Justice School and 761-0408 South Atlanta School of Computer Animation and Design. Between 2007 and 2008 the school had a major renovation. A separate building on site was constructed in 1973. This report contains condition and adequacy data collected during the 2019 Facility Condition Assessment (FCA) Update. Detailed condition and deficiency statements are contained in this report for the site and building elements.

SUBSTRUCTURE

The building rests on slab-on grade and is assumed to have standard cast-in-place concrete foundations. The building has a basement.

SUPERSTRUCTURE

Floor construction is metal pan deck with lightweight fill. Roof construction is metal pan deck with lightweight fill. The exterior

School Assessment Report - South Atlanta High School

envelope is composed of walls of brick veneer over CMU. Exterior windows are aluminum frame with operable panes. Exterior doors are hollow metal steel mostly with glazing. Roofing is typically low slope built-up. Roof openings a roof hatch with fixed ladder access. Most building entrances appear to comply with ADA requirements.

INTERIORS

Interior partitions are typically CMU. Interior doors are generally solid core wood with hollow metal frames and mostly with glazing. Interior fittings include the following items: white boards, graphics and identifying devices, lockers, toilet accessories, storage shelving, handrails, fabricated toilet partitions. The interior wall finishes are typically painted CMU. Floor finishes in common areas are typically vinyl composition tile. Floor finishes in assignable spaces is typically vinyl composition tile., carpet, and ceramic tile. Ceiling finishes in common areas are typically suspended acoustical tile. Ceiling finishes in assignable areas are typically suspended acoustical tile.

SERVICES

CONVEYING: The building does include conveying equipment. Conveying equipment includes four hydraulic elevators, and wheelchair lifts.

PLUMBING:

Plumbing fixtures are typically low-flow water fixtures with manual control valves. Domestic water distribution is combination of copper and galvanized steel with electric hot water heating. Sanitary waste system is cast iron. Rainwater drainage system is internal with roof drains.

HVAC:

Heating is provided by gas fired boilers. Cooling is supplied by cooling tower. The heating/cooling distribution system is a ductwork system utilizing air handling units. Ceiling mounted exhaust fans are installed in bathrooms and other required areas. Controls and instrumentation are digital and are centrally controlled by an energy management system. This building has a remote Building Automation System.

FIRE PROTECTION:

The building does have a fire sprinkler system. The building does have a kitchen hood fire suppression system. Fire extinguishers and cabinets are distributed near fire exits and corridors.

ELECTRICAL:

The main electrical service is fed from a pad mounted transformer to the main switchboard/distribution panel located in the building. Lighting is lay-in type, fluorescent light fixtures. Branch circuit wiring is typically copper serving electrical switches and receptacles. Emergency and life safety egress lighting systems are installed and exit signs are present at exit doors and near stairways and are typically illuminated.

COMMUNICATIONS AND SECURITY:

The fire alarm system consists of audible/visual strobe annunciators in all common spaces. The system is activated by manual pull stations and smoke detectors and the system is centrally monitored. The telephone and data systems are segregated and include dedicated equipment closets. This building does have a local area network (LAN). The building includes an internal security system that is actuated by the following items: contacts, infrared, optical or a combination of all devices. The building has controlled entry doors access provided by card readers; entry doors are secured with magnetic door locks. The security system has CCTV cameras and is centrally monitored; this building has a public address and paging system combined with the telephone system.

OTHER ELECTRICAL SYSTEMS:

This building does have a separately derived emergency power system. There is a natural gas emergency generator.

EQUIPMENT & FURNISHINGS

This building includes the following items and equipment: fixed food service, library equipment, fixed casework, window treatment, floor grilles and mats, and multiple seating furnishings.

SITE

Campus site features include paved driveways and parking lots, pedestrian pavement, flagpole, landscaping, and fencing. Site mechanical and electrical features include water, sewer, natural gas and site lighting.

CODE REVIEW

ACCESSIBILITY: The building is generally in compliance with applicable ADA requirements with respect to path of travel, interior and exterior doors, interior signage, and toilet room dimensions, fixtures, and fittings. Most building entrances appear to comply with ADA requirements.

School Assessment Report - South Atlanta High School

LIFE-SAFETY SYSTEMS: The building is not covered with a wet sprinkler system. Fire extinguishers are located throughout the building. Power outlets in wet areas are GFIC protected. The fire alarm system includes detection devices, audio/visual alarms, and pull stations. Emergency/egress lighting is a combination of battery and special circuit systems. Illuminated exit signage is present in corridors and at exit doors. There is no fall protection at the roof.

Attributes:


General Attributes:			
Arch Condition Assessor:	Homero Guerrero	MEP Condition Assessor:	Jejuan Hall
School Grades:	09, 10, 11, 12	DOE Drawing Total GSF:	277779
DOE Facility Number:	1636	Total # of Modular/Portables:	0
DOE Interior Site SF:	277779	Total GSF of Modular/Portables:	0
Approx. Acres:	50.2	Status:	Active


School Dashboard Summary


Gross Area: 277,779


Year Built: 1973 Last Renovation:

Repair Cost: \$7,509,085 Replacement Value: \$58,919,453 FCI: RSLI%: 41.48 %









School Condition Summary

The Table below shows the RSLI and FCI for each major system shown at the UNIFORMAT II classification Level 2. Note that Systems with lower FCIs require less investment than systems with higher FCIs.


Current Investment Requirement and Condition by Uniformat Classification

UNIFORMAT Classification	RSLI%	FCI %	Current Repair
A10 - Foundations	54.00 %	0.00 %	\$0.00
A20 - Basement Construction	54.00 %	0.00 %	\$0.00
B10 - Superstructure	54.00 %	0.00 %	\$0.00
B20 - Exterior Enclosure	56.43 %	0.00 %	\$0.00
B30 - Roofing	7.12 %	138.36 %	\$1,683,825.00
C10 - Interior Construction	71.66 %	0.00 %	\$0.00
C20 - Stairs	54.00 %	0.00 %	\$0.00
C30 - Interior Finishes	23.64 %	37.83 %	\$1,639,131.00
D10 - Conveying	40.00 %	0.00 %	\$0.00
D20 - Plumbing	32.37 %	20.25 %	\$537,780.00
D30 - HVAC	21.95 %	0.00 %	\$0.00
D40 - Fire Protection	55.15 %	0.00 %	\$0.00
D50 - Electrical	20.31 %	58.50 %	\$3,648,349.00
E10 - Equipment	40.00 %	0.00 %	\$0.00
E20 - Furnishings	40.00 %	0.00 %	\$0.00
G20 - Site Improvements	50.72 %	0.00 %	\$0.00
G30 - Site Mechanical Utilities	8.00 %	0.00 %	\$0.00
G40 - Site Electrical Utilities	60.00 %	0.00 %	\$0.00
Totals:	41.48 %	12.74 %	\$7,509,085.00

Condition Deficiency Priority

Facility Name	Gross Area (S.F.)	FCI %	1 - Critical Immediate Need	2 - Trending Critical (Year 1)	3 - Necessary (Years 2-5)	4 - Recommended (Years 6-10)	5 - Grandfathered Project triggered
1973 Bldg 5010_5020	277,779	15.12	\$0.00	\$0.00	\$7,509,085.00	\$0.00	\$0.00
Site	277,779	0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Total:		12.74	\$0.00	\$0.00	\$7,509,085.00	\$0.00	\$0.00

Deficiencies By Priority




Executive Summary

The condition of a Campus is the accumulation of the condition evaluations of the component buildings and the site. Building condition is evaluated based on the functional systems and elements of a building and organized according to the **UNIFORMAT II Elemental Classification**. eCOMET uses parametric estimating methodology whereby historical costs for systems, components and equipment are collected by entities such as RSMeans and converted to unit costs, typically \$/SF, and used to approximate future construction costs or replacement values. The grouping of these systems and elements and applying a current replacement value to them develops a representative building cost model. Cost Models are developed for similar building types and functions. Systems and their elements are evaluated based on their current replacement values, life cycles, installation dates and next renewal dates. Systems and their elements that are within their useful lives are further evaluated to identify current deficient conditions that may have a significant impact on a system's or element's remaining service life, and to determine if they are beyond their predicted expected life. The system's or element's current replacement value is based on RS Means Commercial Cost Data.

Following are the cost model's system details for this facility. The Current Replacement Value (CRV) is the amount needed to replace the property of the same present scope. The Repair Cost (the sum of the cost to repair/replace the Deficiencies) represents the budgeted contractor-installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging of the work. Facility Condition Index (FCI) is an industry-standard measurement of facility condition calculated as the ratio of the costs to correct a facility's deficiencies (Condition Needs) to the facility's Current Replacement Value. It ranges from 0% (new) to 100% (very poor - beyond service life). The **Remaining Service Life Index (RSLI)** is calculated as the sum of a renewable system's Remaining Service Life (RSL) divided by the sum of a system's Replacement Value (both values exclude softcost to simplify calculation updates) expressed as a percentage ranging from 100% (new) to 0% (expired). The relationship between the key metrics FCI and RSLI is an important indicator, at either the facility, building, system, or component levels, of the condition trend and the imminent need for capital renewal. These indices exist in an inverse relationship wherein the FCI increases when systems reach their expected life-cycle age, whereas the RSLI decreases annually indicating the relative time remaining before reaching the life-cycle expiration age. For example, a facility or a system with a high RSLI and a low FCI indicates it is in the early portion of its useful life. However, a low RSLI indicates that expiration dates are approaching at which point the FCI would increase. The term **FCA Score** is the inverse of Total FCI and calculated as 100-Total FCI (without the %) where 100 is best and 0 is worst condition.

High

riigii
277,779
1973
\$49,672,189
\$7,509,085.00
15.12 %
40.48 %
84.88



Description:

Function:

The narrative for this building is included in the Executive Summary Description at the front of this report.

Attributes: This asset has no attributes.


Dashboard Summary


Function: High Gross Area: 277,779


Year Built: 1973 Last Renovation:


 Repair Cost:
 \$7,509,085
 Replacement Value:
 \$49,672,189

 FCI:
 15.12 %
 RSLI%:
 40.48 %









Condition Summary

The Table below shows the RSLI and FCI for each major building system shown at the UNIFORMAT II classification Level 2. Note that Systems with lower FCIs require less investment than systems with higher FCIs.

UNIFORMAT Classification	RSLI %	FCI %	Current Repair Cost
A10 - Foundations	54.00 %	0.00 %	\$0.00
A20 - Basement Construction	54.00 %	0.00 %	\$0.00
B10 - Superstructure	54.00 %	0.00 %	\$0.00
B20 - Exterior Enclosure	56.43 %	0.00 %	\$0.00
B30 - Roofing	7.12 %	138.36 %	\$1,683,825.00
C10 - Interior Construction	71.66 %	0.00 %	\$0.00
C20 - Stairs	54.00 %	0.00 %	\$0.00
C30 - Interior Finishes	23.64 %	37.83 %	\$1,639,131.00
D10 - Conveying	40.00 %	0.00 %	\$0.00
D20 - Plumbing	32.37 %	20.25 %	\$537,780.00
D30 - HVAC	21.95 %	0.00 %	\$0.00
D40 - Fire Protection	55.15 %	0.00 %	\$0.00
D50 - Electrical	20.31 %	58.50 %	\$3,648,349.00
E10 - Equipment	40.00 %	0.00 %	\$0.00
E20 - Furnishings	40.00 %	0.00 %	\$0.00
Totals:	40.48 %	15.12 %	\$7,509,085.00

Photo Album

The photo album consists of the various cardinal compass directions of the building.

















Condition Detail

This section of the report contains results of the Facility Condition Assessment. The building is separated into system components based on UNIFORMAT II. The columns in the System Listing table represent the following:

- 1. System Code: A code that identifies the system.
- 2. System Description: A brief description of a system present in the building.
- 3. Unit Price \$: The unit price of the system.
- 4. UoM: The unit of measure of the system.
- 5. Qty: The quantity for the system
- 6. Life: Building Owners and Managers Association (BOMA) recommended system design life.
- 7. Year Installed: The date of system installation.
- 8. Calc Next Renewal Year: The date of system expiration based on the life, NR stands for non renewable.
- 9. Next Renewal Year: The suggested system expiration date by the assessor based on visual inspection.
- 10. RSLI: The Remaining Service Life Index of the system.
- 11. FCI: The Facility Condition Index of the system.
- 12. RSL: Remaining Service Life in years.
- 13. eCR: eCOMET Condition Rating (not used in this assessment)
- 14. Deficiency \$: The financial investment to repair/replace system to address deficiency.
- 15. Replacement Value \$: The replacement cost of the system as new construction.

System Listing

The System Listing table below lists each of the systems organized by their UNIFORMAT II classification. The assessment team was tasked with recording the most recent replacement year of each system, determining the remaining service life based on the theoretical life, and evaluating the condition to confirm the forecast next replacement year. The system listing is the basis for all data contained in the Building Assessment Report.

System						Year	Calc Next Renewal	Next Renewal						Replacement
Code	System Description	Unit Price \$	UoM	Qty	Life	Installed	Year	Year	RSLI%	FCI%	RSL	eCR	Deficiency \$	Value \$
A1010	Standard Foundations	\$6.57		277,779	100	1973	2073		54.00 %	0.00 %	54			\$1,825,008
A1030	Slab on Grade	\$6.61		277,779	100	1973	2073		54.00 %	0.00 %	54			\$1,836,119
A2010	Basement Excavation	\$0.17		277,779	100	1973	2073		54.00 %	0.00 %	54			\$47,222
A2020	Basement Walls	\$2.50		277,779	100	1973	2073		54.00 %	0.00 %	54			\$694,448
B1010	Floor Construction	\$25.00		277,779	100	1973	2073		54.00 %	0.00 %	54			\$6,944,475
B1020	Roof Construction	\$8.29		277,779	100	1973	2073		54.00 %	0.00 %	54			\$2,302,788
B2010	Exterior Walls	\$13.18		277,779	100	1973	2073		54.00 %	0.00 %	54			\$3,661,127
B2020	Exterior Windows	\$8.20		277,779	30	2007	2037		60.00 %	0.00 %	18			\$2,277,788
B2030	Exterior Doors	\$0.79		277,779	30	2007	2037		60.00 %	0.00 %	18			\$219,445
B3010105	Built-Up	\$7.15		150,000	25	1973	1998		0.00 %	157.00 %	-21		\$1,683,825.00	\$1,072,500
B3020	Roof Openings	\$0.52	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$144,445
C1010	Partitions	\$5.58		277,779	100	2007	2107		88.00 %	0.00 %	88			\$1,550,007
C1020	Interior Doors	\$3.65	S.F.	277,779	40	2007	2047		70.00 %	0.00 %	28			\$1,013,893
C1030	Fittings	\$2.69	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$747,226
C2010	Stair Construction	\$2.83	S.F.	277,779	100	1973	2073		54.00 %	0.00 %	54			\$786,115
C3010220	Tile	\$9.25	S.F.	7,000	30	1973	2003		0.00 %	150.00 %	-16		\$97,125.00	\$64,750
C3010230	Paint & Covering	\$1.47	S.F.	270,779	10	1973	1983		0.00 %	0.00 %	-36			\$398,045
C3020405	Ероху	\$17.30	S.F.	5,000	15	1973	1988		0.00 %	118.00 %	-31		\$102,070.00	\$86,500
C3020420	Ceramic Tile	\$16.74	S.F.	15,000	50	1973	2023		8.00 %	0.00 %	4			\$251,100
C3020901	Carpet	\$7.50	S.F.	10,000	8	2010	2018		0.00 %	110.00 %	-1		\$82,500.00	\$75,000
C3020903	VCT	\$3.48	S.F.	240,779	15	1973	1988		0.00 %	155.00 %	-31		\$1,298,762.00	\$837,911
C3020999	Other - Rubber or Neoprene	\$26.67	S.F.	2,000	10	1973	1983		0.00 %	110.00 %	-36		\$58,674.00	\$53,340
C3020999	Other - Wood	\$13.79	S.F.	5,000	50	1973	2023		8.00 %	0.00 %	4			\$68,950
C3030	Ceiling Finishes	\$8.99	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$2,497,233
D1010	Elevators and Lifts	\$1.44	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$400,002
D2010	Plumbing Fixtures	\$6.57	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$1,825,008
D2020	Domestic Water Distribution	\$0.76	S.F.	277,779	30	2000	2030		36.67 %	0.00 %	11			\$211,112
D2030	Sanitary Waste	\$1.76	S.F.	277,779	30	1973	2003		0.00 %	110.00 %	-16		\$537,780.00	\$488,891
D2040	Rain Water Drainage	\$0.47	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$130,556
D3010	Energy Supply	\$0.61	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$169,445
D3020	Heat Generating Systems	\$3.74	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$1,038,893
D3030	Cooling Generating Systems	\$6.29	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$1,747,230

School Assessment Report - 1973 Bldg 5010_5020

System Code	System Description	Unit Price \$	UoM	Qty	Life	Year Installed	Calc Next Renewal Year	Next Renewal Year	RSLI%	FCI%	RSL	eCR	Deficiency \$	Replacement Value \$
D3040	Distribution Systems	\$11.02	S.F.	277,779	20	2000	2020		5.00 %	0.00 %	1			\$3,061,125
D3050	Terminal & Package Units	\$6.65	S.F.	277,779	15	2007	2022		20.00 %	0.00 %	3			\$1,847,230
D3060	Controls & Instrumentation	\$2.29	S.F.	277,779	15	2007	2022		20.00 %	0.00 %	3			\$636,114
D4010	Sprinklers	\$4.26	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$1,183,339
D4020	Standpipes	\$0.48	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$133,334
D4030	Fire Protection Specialties	\$0.09	S.F.	277,779	15	2012	2027		53.33 %	0.00 %	8			\$25,000
D4090	Other Fire Protection Systems	\$0.65	S.F.	277,779	15	2007	2022		20.00 %	0.00 %	3			\$180,556
D5010	Electrical Service/Distribution	\$2.34	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$650,003
D5020	Branch Wiring	\$4.77	S.F.	277,779	20	1993	2013		0.00 %	110.00 %	-6		\$1,457,506.00	\$1,325,006
D5020	Lighting	\$7.17	S.F.	277,779	20	1993	2013		0.00 %	110.00 %	-6		\$2,190,843.00	\$1,991,675
D5030810	Security & Detection Systems	\$1.51	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$419,446
D5030910	Fire Alarm Systems	\$2.74	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$761,114
D5030920	Data Communication	\$3.56	S.F.	277,779	25	2007	2032		52.00 %	0.00 %	13			\$988,893
D5090	Other Electrical Systems	\$0.36	S.F.	277,779	15	2007	2022		20.00 %	0.00 %	3			\$100,000
E1020	Institutional Equipment	\$0.13	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$36,111
E1090	Other Equipment	\$0.91	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$252,779
E2010	Fixed Furnishings	\$2.21	S.F.	277,779	20	2007	2027		40.00 %	0.00 %	8			\$613,892
								Total	40.48 %	15.12 %			\$7,509,085.00	\$49,672,189

System Notes

The facility description in the executive summary contains an overview of each system. The system notes listed below provide additional information on select systems found within the facility.

System: B2010 - Exterior Walls







Note:

System: B2020 - Exterior Windows







Note:

System: B2030 - Exterior Doors







System: B3010105 - Built-Up







Note:

System: B3020 - Roof Openings







Note:

System: C1010 - Partitions







Note:

System: C1020 - Interior Doors







System: C1030 - Fittings







System: C3010220 - Tile







Note:

School Assessment Report - 1973 Bldg 5010_5020

System: C3010230 - Paint & Covering








Note:

System: C3020405 - Epoxy



Note:

System: C3020420 - Ceramic Tile



System: C3020901 - Carpet







Note:

System: C3020903 - VCT







Note:


System: C3020999 - Other - Rubber or Neoprene





System: C3020999 - Other - Wood









Note:

System: C3030 - Ceiling Finishes







Note:

System: D1010 - Elevators and Lifts







Note:

System: D2010 - Plumbing Fixtures







System: D2020 - Domestic Water Distribution






Note:

System: D2030 - Sanitary Waste







Note:

System: D2040 - Rain Water Drainage







Note:

System: D3020 - Heat Generating Systems







Note:

System: D3030 - Cooling Generating Systems







Note:

System: D3040 - Distribution Systems







Note:

System: D3050 - Terminal & Package Units







Note:

System: D3060 - Controls & Instrumentation







Note:

System: D4010 - Sprinklers







System: D4020 - Standpipes







Note:

System: D4030 - Fire Protection Specialties







Note:

System: D4090 - Other Fire Protection Systems







System: D5010 - Electrical Service/Distribution







Note:


System: D5020 - Branch Wiring







System: D5020 - Lighting









Note:

System: D5030810 - Security & Detection Systems







Note:

System: D5030910 - Fire Alarm Systems








Note:

System: D5030920 - Data Communication







Note:

System: E1020 - Institutional Equipment







Note:

System: E1090 - Other Equipment







Note:

System: E2010 - Fixed Furnishings







Renewal Schedule

eCOMET forecasts future Capital Renewal projects for expiring systems based on the Calculated Next Renewal year found in the System Listing table. There is a 3% yearly inflation factor applied to the system costs expiring in the future. The table below reflects Capital Renewal projects over the next 10 years. Note: Blank cells (or \$0) indicate no systems are scheduled for renewal in that year.

Inflation Rate: 3%

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
Total:	\$7,509,085	\$3,468,254	\$0	\$3,322,207	\$530,241	\$0	\$0	\$0	\$15,633,772	\$0	\$667,287	\$31,130,846
* A - Substructure	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A10 - Foundations	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A1010 - Standard Foundations	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A1030 - Slab on Grade	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A20 - Basement Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A2010 - Basement Excavation	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* A2020 - Basement Walls	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B - Shell	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B10 - Superstructure	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* B1010 - Floor Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* B1020 - Roof Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B20 - Exterior Enclosure	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
* B2010 - Exterior Walls	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B2020 - Exterior Windows	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B2030 - Exterior Doors	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B30 - Roofing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B3010 - Roof Coverings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
B3010105 - Built-Up	\$1,683,825	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,683,825
B3020 - Roof Openings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C - Interiors	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C10 - Interior Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C1010 - Partitions	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C1020 - Interior Doors	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C1030 - Fittings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,041,219	\$0	\$0	\$1,041,219
C20 - Stairs	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
* C2010 - Stair Construction	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C30 - Interior Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3010 - Wall Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
C3010220 - Tile	\$97,125	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$97,125
C3010230 - Paint & Covering	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$588,434	\$588,434
C3020 - Floor Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
С3020405 - Ероху	\$102,070	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$102,070
C3020420 - Ceramic Tile	\$0	\$0	\$0	\$0	\$423,923	\$0	\$0	\$0	\$0	\$0	\$0	\$423,923
C3020901 - Carpet	\$82,500	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$104,509	\$0	\$0	\$187,009
C3020903 - VCT	\$1,298,762	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,298,762
C3020999 - Other - Rubber or Neoprene	\$58,674	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$78,853	\$137,527
C3020999 - Other - Wood	\$0	\$0	\$0	\$0	\$106,318	\$0	\$0	\$0	\$0	\$0	\$0	\$106,318
C3030 - Ceiling Finishes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$3,479,763	\$0	\$0	\$3,479,763
D - Services	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D10 - Conveying	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D1010 - Elevators and Lifts	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$557,381	\$0	\$0	\$557,381
D20 - Plumbing	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D2010 - Plumbing Fixtures	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2,543,052	\$0	\$0	\$2,543,052
D2020 - Domestic Water Distribution	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D2030 - Sanitary Waste	\$537,780	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$537,780
D2040 - Rain Water Drainage	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$181,923	\$0	\$0	\$181,923
D30 - HVAC	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D3010 - Energy Supply	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D3020 - Heat Generating Systems	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,447,643	\$0	\$0	\$1,447,643
D3030 - Cooling Generating Systems	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2,434,673	\$0	\$0	\$2,434,673
D3040 - Distribution Systems	\$0	\$3,468,254	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$3,468,254
D3050 - Terminal & Package Units	\$0	\$0	\$0	\$2,220,370	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2,220,370
D3060 - Controls & Instrumentation	\$0	\$0	\$0	\$764,608	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$764,608
D40 - Fire Protection	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D4010 - Sprinklers	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D4020 - Standpipes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D4030 - Fire Protection Specialties	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$34,836	\$0	\$0	\$34,836


School Assessment Report - 1973 Bldg 5010_5020

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
D4090 - Other Fire Protection Systems	\$0	\$0	\$0	\$217,029	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$217,029
D50 - Electrical	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5010 - Electrical Service/Distribution	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$905,744	\$0	\$0	\$905,744
D5020 - Branch Wiring	\$1,457,506	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,457,506
D5020 - Lighting	\$2,190,843	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$2,190,843
D5030 - Communications and Security	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5030810 - Security & Detection Systems	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$584,476	\$0	\$0	\$584,476
D5030910 - Fire Alarm Systems	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$1,060,573	\$0	\$0	\$1,060,573
D5030920 - Data Communication	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
D5090 - Other Electrical Systems	\$0	\$0	\$0	\$120,200	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$120,200
E - Equipment & Furnishings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
E10 - Equipment	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
E1020 - Institutional Equipment	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$50,319	\$0	\$0	\$50,319
E1090 - Other Equipment	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$352,234	\$0	\$0	\$352,234
E20 - Furnishings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
E2010 - Fixed Furnishings	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$855,426	\$0	\$0	\$855,426

^{*} Indicates non-renewable system

Forecasted Capital Renewal Requirement

The following chart shows the current building deficiencies and forecasted capital renewal (sustainment) requirements over the next ten years.



Condition Index Forecast by Investment Scenario

The chart below illustrates the effect of various investment levels on the building FCI for the next 10 years. The levels of investment shown below include:

- Current FCI: a variable investment amount based on renewing expired systems to maintain the current FCI for the building
- 2% Investment: an annual investment of 2% of the replacement value of the building, escalated for inflation
- 4% Investment: an annual investment of 4% of the replacement value of the building, escalated for inflation

Facility Investment vs. FCI Forecast \$20,000,000 40.0 % 30.0 % \$15,000,000 Investment Amount \$10,000,000 20.0 % \$5,000,000 - 10.0 % \$0 0.0 % 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029


Year	Investment Amount Current FCI - 15.12%	2% Investment		4% Investment	
		Amount	FCI	Amount	FCI
2020	\$3,468,254	\$1,023,247.00	19.90 %	\$2,046,494.00	17.90 %
2021	\$0	\$1,053,945.00	17.90 %	\$2,107,889.00	13.90 %
2022	\$3,322,207	\$1,085,563.00	22.02 %	\$2,171,126.00	16.02 %
2023	\$530,241	\$1,118,130.00	20.97 %	\$2,236,259.00	12.97 %
2024	\$0	\$1,151,674.00	18.97 %	\$2,303,347.00	8.97 %
2025	\$0	\$1,186,224.00	16.97 %	\$2,372,448.00	4.97 %
2026	\$0	\$1,221,811.00	14.97 %	\$2,443,621.00	0.97 %
2027	\$15,633,772	\$1,258,465.00	37.81 %	\$2,516,930.00	21.81 %
2028	\$0	\$1,296,219.00	35.81 %	\$2,592,438.00	17.81 %
2029	\$667,287	\$1,335,105.00	34.81 %	\$2,670,211.00	14.81 %
Total:	\$23,621,761	\$11,730,383.00		\$23,460,763.00	

4% Investment Amount/FCI

Current Investment Amount/FCI 2% Investment Amount/FCI

Deficiency Summary by System


Current deficiencies included assemblies that have reached or exceeded their design life or components of the assemblies that are in need of repair. Assemblies that have reached their design life are identified as current deficiencies and assigned the distress 'Beyond Useful Life'. The following chart lists all current deficiencies associated with this facility.



Budget Estimate Total: \$7,509,085.00

Deficiency Summary by Priority

The following chart shows the total repair costs broken down by priority. Assessors assigned deficiencies within eCOMET to one of the following priority categories:



Budget Estimate Total: \$7,509,085.00


Deficiency By Priority Investment Table

The table below shows the current investment cost grouped by deficiency priority and building system.

System		1 - Critical Immediate	2 - Trending Critical (Year	3 - Necessary	4 - Recommended	5 - Grandfathered Project	
Code	System Description	Need	1)	(Years 2-5)	(Years 6-10)	triggered	Total
B3010105	Built-Up	\$0.00	\$0.00	\$1,683,825.00	\$0.00	\$0.00	\$1,683,825.00
C3010220	Tile	\$0.00	\$0.00	\$97,125.00	\$0.00	\$0.00	\$97,125.00
C3020405	Ероху	\$0.00	\$0.00	\$102,070.00	\$0.00	\$0.00	\$102,070.00
C3020901	Carpet	\$0.00	\$0.00	\$82,500.00	\$0.00	\$0.00	\$82,500.00
C3020903	VCT	\$0.00	\$0.00	\$1,298,762.00	\$0.00	\$0.00	\$1,298,762.00
C3020999	Other - Rubber or Neoprene	\$0.00	\$0.00	\$58,674.00	\$0.00	\$0.00	\$58,674.00
D2030	Sanitary Waste	\$0.00	\$0.00	\$537,780.00	\$0.00	\$0.00	\$537,780.00
D5020	Branch Wiring	\$0.00	\$0.00	\$1,457,506.00	\$0.00	\$0.00	\$1,457,506.00
D5020	Lighting	\$0.00	\$0.00	\$2,190,843.00	\$0.00	\$0.00	\$2,190,843.00
	Total:	\$0.00	\$0.00	\$7,509,085.00	\$0.00	\$0.00	\$7,509,085.00

Deficiency Summary by Category

The following chart shows the total repair costs broken down by deficiency categories. Assessors assigned deficiencies to one of the following categories:



Budget Estimate Total: \$7,509,085.00

Deficiency Details by Priority

The deficiency detail notes listed below provide additional information on identified deficiencies found within the facility.

Priority 3 - Necessary (Years 2-5):

System: B3010105 - Built-Up



Location: Roof

Distress: Beyond Expected Life **Category:** Deferred Maintenance **Priority:** 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 150,000.00

Unit of Measure: S.F.

Estimate: \$1,683,825.00

Assessor Name: Homero Guerrero **Date Created:** 02/14/2020

Notes:

The roofing system is a built up system that was reported to be original to the buildings construction. This system has exceeded its expected life cycle and is recommended for replacement.

System: C3010220 - Tile



Location: Restrooms

Distress: Beyond Expected Life **Category:** Deferred Maintenance **Priority:** 3 - Necessary (Years 2-5)

Correction: Renew System

Oty: 7,000.00

Unit of Measure: S.F.

Estimate: \$97,125.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes:

The tile floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: C3020405 - Epoxy



Location: Stairs

Distress: Beyond Expected Life **Category:** Deferred Maintenance **Priority:** 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 5,000.00

Unit of Measure: S.F.

Estimate: \$102,070.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes:

The epoxy floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: C3020901 - Carpet



Location: Throughout buildingDistress: Beyond Expected LifeCategory: Deferred MaintenancePriority: 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 10,000.00

Unit of Measure: S.F.


Estimate: \$82,500.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes: The carpet floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: C3020903 - VCT



Distress: Beyond Expected Life **Category:** Deferred Maintenance **Priority:** 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 240,779.00

Unit of Measure: S.F.

Estimate: \$1,298,762.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes:

The VCT floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: C3020999 - Other - Rubber or Neoprene



Location: Weight Room

Distress: Beyond Expected Life **Category:** Deferred Maintenance **Priority:** 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 2,000.00

Unit of Measure: S.F.

Estimate: \$58,674.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes: The neoprene floor finish is beyond its expected service life, worn and damaged, and is recommended for replacement.

System: D2030 - Sanitary Waste



Location: Throughout building
 Distress: Beyond Expected Life
 Category: Deferred Maintenance
 Priority: 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 277,779.00

Unit of Measure: S.F.

Estimate: \$537,780.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes:

The sanitary system is original and beyond the expected life cycle. Upgrades to the existing sanitary sewer system are considered necessary.

System: D5020 - Branch Wiring



Location: Throughout building **Distress:** Beyond Expected Life **Category:** Deferred Maintenance **Priority:** 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 277,779.00

Unit of Measure: S.F.

Estimate: \$1,457,506.00 **Assessor Name:** Homero Guerrero **Date Created:** 02/14/2020

Notes:

The original branch wiring system is operational but is aged and should be replaced with an energy efficient system.

System: D5020 - Lighting



Location: Throughout building
 Distress: Beyond Expected Life
 Category: Deferred Maintenance
 Priority: 3 - Necessary (Years 2-5)

Correction: Renew System

Qty: 277,779.00

Unit of Measure: S.F.

Estimate: \$2,190,843.00

Assessor Name: Homero Guerrero

Date Created: 02/14/2020

Notes:

The original lighting system is operational but is aged and should be replaced with an energy efficient system.

Executive Summary

The condition of a Campus is the accumulation of the condition evaluations of the component buildings and the site. Building condition is evaluated based on the functional systems and elements of a building and organized according to the **UNIFORMAT II Elemental Classification**. eCOMET uses parametric estimating methodology whereby historical costs for systems, components and equipment are collected by entities such as RSMeans and converted to unit costs, typically \$/SF, and used to approximate future construction costs or replacement values. The grouping of these systems and elements and applying a current replacement value to them develops a representative building cost model. Cost Models are developed for similar building types and functions. Systems and their elements are evaluated based on their current replacement values, life cycles, installation dates and next renewal dates. Systems and their elements that are within their useful lives are further evaluated to identify current deficient conditions that may have a significant impact on a system's or element's remaining service life, and to determine if they are beyond their predicted expected life. The system's or element's current replacement value is based on RS Means Commercial Cost Data.

Following are the cost model's system details for this facility. The Current Replacement Value (CRV) is the amount needed to replace the property of the same present scope. The Repair Cost (the sum of the cost to repair/replace the Deficiencies) represents the budgeted contractor-installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might also be associated with the corrective actions due to packaging of the work. Facility Condition Index (FCI) is an industry-standard measurement of facility condition calculated as the ratio of the costs to correct a facility's deficiencies (Condition Needs) to the facility's Current Replacement Value. It ranges from 0% (new) to 100% (very poor - beyond service life). The **Remaining Service Life Index (RSLI)** is calculated as the sum of a renewable system's Remaining Service Life (RSL) divided by the sum of a system's Replacement Value (both values exclude softcost to simplify calculation updates) expressed as a percentage ranging from 100% (new) to 0% (expired). The relationship between the key metrics FCI and RSLI is an important indicator, at either the facility, building, system, or component levels, of the condition trend and the imminent need for capital renewal. These indices exist in an inverse relationship wherein the FCI increases when systems reach their expected life-cycle age, whereas the RSLI decreases annually indicating the relative time remaining before reaching the life-cycle expiration age. For example, a facility or a system with a high RSLI and a low FCI indicates it is in the early portion of its useful life. However, a low RSLI indicates that expiration dates are approaching at which point the FCI would increase. The term **FCA Score** is the inverse of Total FCI and calculated as 100-Total FCI (without the %) where 100 is best and 0 is worst condition.

	าต		

Gross Area (SF):	277,779
Year Built:	1973
Last Renovation:	
Replacement Value:	\$9,247,264
Repair Cost:	\$0.00
Total FCI:	0.00 %
Total RSLI:	46.85 %
FCA Score:	100.00



Description:

The narrative for this site is included in the Executive Summary Description at the front of this report.

Attributes: This asset has no attributes.

Dashboard Summary

Function: Gross Area: 277,779


Year Built: 1973 Last Renovation:

 Repair Cost:
 \$0
 Replacement Value:
 \$9,247,264

 FCI:
 0.00 %
 RSLI%:
 46.85 %

No data found for this asset

No data found for this asset



Condition Summary

The Table below shows the RSLI and FCI for each major building system shown at the UNIFORMAT II classification Level 2. Note that Systems with lower FCIs require less investment than systems with higher FCIs.

UNIFORMAT Classification	RSLI %	FCI %	Current Repair Cost
G20 - Site Improvements	50.72 %	0.00 %	\$0.00
G30 - Site Mechanical Utilities	8.00 %	0.00 %	\$0.00
G40 - Site Electrical Utilities	60.00 %	0.00 %	\$0.00
Totals:	46.85 %	0.00 %	\$0.00

Photo Album

The photo album consists of the various cardinal compass directions of the building.



Condition Detail

This section of the report contains results of the Facility Condition Assessment. The building is separated into system components based on UNIFORMAT II. The columns in the System Listing table represent the following:

- 1. System Code: A code that identifies the system.
- 2. System Description: A brief description of a system present in the building.
- 3. Unit Price \$: The unit price of the system.
- 4. UoM: The unit of measure of the system.
- 5. Qty: The quantity for the system
- 6. Life: Building Owners and Managers Association (BOMA) recommended system design life.
- 7. Year Installed: The date of system installation.
- 8. Calc Next Renewal Year: The date of system expiration based on the life, NR stands for non renewable.
- 9. Next Renewal Year: The suggested system expiration date by the assessor based on visual inspection.
- 10. RSLI: The Remaining Service Life Index of the system.
- 11. FCI: The Facility Condition Index of the system.
- 12. RSL: Remaining Service Life in years.
- 13. eCR: eCOMET Condition Rating (not used in this assessment)
- 14. Deficiency \$: The financial investment to repair/replace system to address deficiency.
- 15. Replacement Value \$: The replacement cost of the system as new construction.

System Listing


The System Listing table below lists each of the systems organized by their UNIFORMAT II classification. The assessment team was tasked with recording the most recent replacement year of each system, determining the remaining service life based on the theoretical life, and evaluating the condition to confirm the forecast next replacement year. The system listing is the basis for all data contained in the Building Assessment Report.

System Code	System Description	Unit Price \$	UoM	Qty	Life	Year Installed	Calc Next Renewal Year	Next Renewal Year	RSLI%	FCI%	RSL	eCR	Deficiency \$	Replacement Value \$
G2010	Roadways	\$2.33	S.F.	277,779	35	2007	2042		65.71 %	0.00 %	23			\$647,225
G2020	Parking Lots	\$7.88	S.F.	277,779	35	2007	2042		65.71 %	0.00 %	23			\$2,188,899
G2030	Pedestrian Paving	\$2.29	S.F.	277,779	35	2007	2042		65.71 %	0.00 %	23			\$636,114
G2040105	Fence & Guardrails	\$1.15	S.F.	277,779	30	1973	2003	2024	16.67 %	0.00 %	5			\$319,446
G2040950	Covered Walkways	\$0.76	S.F.	277,779	25	1973	1998	2024	20.00 %	0.00 %	5			\$211,112
G2040950	Football/Soccer Field	\$3.18	S.F.	277,779	20	1973	1993	2024	25.00 %	0.00 %	5			\$883,337
G2040950	Tennis Courts	\$1.69	S.F.	277,779	20	1973	1993	2024	25.00 %	0.00 %	5			\$469,447
G2040950	Track	\$1.68	S.F.	277,779	10	1973	1983	2024	50.00 %	0.00 %	5			\$466,669
G2050	Landscaping	\$1.16	S.F.	277,779	25	2007	2032		52.00 %	0.00 %	13			\$322,224
G3010	Water Supply	\$1.06	S.F.	277,779	50	1973	2023		8.00 %	0.00 %	4			\$294,446
G3020	Sanitary Sewer	\$2.17	S.F.	277,779	50	1973	2023		8.00 %	0.00 %	4			\$602,780
G3030	Storm Sewer	\$1.24	S.F.	277,779	50	1973	2023		8.00 %	0.00 %	4			\$344,446
G4010	Electrical Distribution	\$2.51	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$697,225
G4020	Site Lighting	\$2.94	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$816,670
G4030	Site Communication and Security	\$1.25	S.F.	277,779	30	2007	2037		60.00 %	0.00 %	18			\$347,224
					•			Total	46.85 %					\$9,247,264

System Notes

The facility description in the executive summary contains an overview of each system. The system notes listed below provide additional information on select systems found within the facility.

System: G2010 - Roadways







Note:

System: G2020 - Parking Lots








Note:

System: G2030 - Pedestrian Paving







Note:

School Assessment Report - Site

System: G2040105 - Fence & Guardrails







Note:

System: G2040950 - Covered Walkways







Note:

System: G2040950 - Football/Soccer Field







Note:

System: G2040950 - Tennis Courts



Note:

System: G2040950 - Track







Note:

System: G3010 - Water Supply







Note:

School Assessment Report - Site

System: G3020 - Sanitary Sewer







Note:

System: G3030 - Storm Sewer





Note:

System: G4010 - Electrical Distribution



Note:

School Assessment Report - Site

System: G4020 - Site Lighting







Note:

System: G4030 - Site Communication and Security





Note:

Renewal Schedule

eCOMET forecasts future Capital Renewal projects for expiring systems based on the Calculated Next Renewal year found in the System Listing table. There is a 3% yearly inflation factor applied to the system costs expiring in the future. The table below reflects Capital Renewal projects over the next 10 years. Note: Blank cells (or \$0) indicate no systems are scheduled for renewal in that year.


Inflation Rate: 3%

System	Current Deficiencies	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	Total
Total:		\$0	\$0	\$0	\$1,537,264	\$2,996,736	\$0	\$0	\$0	\$0	\$0	\$4,534,000
G - Building Sitework	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G20 - Site Improvements	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2010 - Roadways	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2020 - Parking Lots	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2030 - Pedestrian Paving	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2040 - Site Development	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G2040105 - Fence & Guardrails	\$0	\$0	\$0	\$0	\$0	\$407,357	\$0	\$0	\$0	\$0	\$0	\$407,357
G2040950 - Covered Walkways	\$0	\$0	\$0	\$0	\$0	\$269,210	\$0	\$0	\$0	\$0	\$0	\$269,210
G2040950 - Football/Soccer Field	\$0	\$0	\$0	\$0	\$0	\$1,126,433	\$0	\$0	\$0	\$0	\$0	\$1,126,433
G2040950 - Tennis Courts	\$0	\$0	\$0	\$0	\$0	\$598,639	\$0	\$0	\$0	\$0	\$0	\$598,639
G2040950 - Track	\$0	\$0	\$0	\$0	\$0	\$595,097	\$0	\$0	\$0	\$0	\$0	\$595,097
G2050 - Landscaping	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G30 - Site Mechanical Utilities	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G3010 - Water Supply	\$0	\$0	\$0	\$0	\$364,541	\$0	\$0	\$0	\$0	\$0	\$0	\$364,541
G3020 - Sanitary Sewer	\$0	\$0	\$0	\$0	\$746,278	\$0	\$0	\$0	\$0	\$0	\$0	\$746,278
G3030 - Storm Sewer	\$0	\$0	\$0	\$0	\$426,445	\$0	\$0	\$0	\$0	\$0	\$0	\$426,445
G40 - Site Electrical Utilities	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G4010 - Electrical Distribution	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G4020 - Site Lighting	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
G4030 - Site Communication and Security	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0

^{*} Indicates non-renewable system

Forecasted Capital Renewal Requirement


The following chart shows the current building deficiencies and forecasted capital renewal (sustainment) requirements over the next ten years.



Condition Index Forecast by Investment Scenario

The chart below illustrates the effect of various investment levels on the building FCI for the next 10 years. The levels of investment shown below include:

- · Current FCI: a variable investment amount based on renewing expired systems to maintain the current FCI for the building
- 2% Investment: an annual investment of 2% of the replacement value of the building, escalated for inflation
- 4% Investment: an annual investment of 4% of the replacement value of the building, escalated for inflation



	Investment Amount	2% Investm	ent	4% Investment		
Year	Current FCI - 0%	Amount	FCI	Amount	FCI	
2020	\$0	\$190,494.00	-2.00 %	\$380,987.00	-4.00 %	
2021	\$0	\$196,208.00	-4.00 %	\$392,417.00	-8.00 %	
2022	\$0	\$202,095.00	-6.00 %	\$404,189.00	-12.00 %	
2023	\$1,537,264	\$208,158.00	6.77 %	\$416,315.00	-1.23 %	
2024	\$2,996,736	\$214,402.00	32.72 %	\$428,805.00	22.72 %	
2025	\$0	\$220,834.00	30.72 %	\$441,669.00	18.72 %	
2026	\$0	\$227,459.00	28.72 %	\$454,919.00	14.72 %	
2027	\$0	\$234,283.00	26.72 %	\$468,566.00	10.72 %	
2028	\$0	\$241,312.00	24.72 %	\$482,623.00	6.72 %	
2029	\$0	\$248,551.00	22.72 %	\$497,102.00	2.72 %	
Total:	\$4,534,000	\$2,183,796.00		\$4,367,592.00		

Deficiency Summary by System

Current deficiencies included assemblies that have reached or exceeded their design life or components of the assemblies that are in need of repair. Assemblies that have reached their design life are identified as current deficiencies and assigned the distress 'Beyond Useful Life'. The following chart lists all current deficiencies associated with this facility.

Deficiency Summary by Priority

The following chart shows the total repair costs broken down by priority. Assessors assigned deficiencies within eCOMET to one of the following priority categories:

Deficiency By Priority Investment Table

The table below shows the current investment cost grouped by deficiency priority and building system.

Deficiency Summary by Category

The following chart shows the total repair costs broken down by deficiency categories. Assessors assigned deficiencies to one of the following categories:

Deficiency Details by Priority

The deficiency detail notes listed below provide additional information on identified deficiencies found within the facility.

Glossary

Abandoned A facility owned by the city that is not occupied and not maintained. See Vacant.

Additional Cost Total project cost is composed of hard and soft costs. Additional costs or soft expenses are costs

that are necessary to accomplish the corrective work but are not directly attributable to the deficient systems direct construction cost, which are often referred to as hard cost. The components included in the soft costs vary by owner but usually include architect and contractor fees, contingencies and other owner-incurred costs necessary to fully develop and build a facility. These soft cost factors can be adjusted anytime within the eCOMET database at the owner's

discretion.

Assessment Visual survey of a facility to determine its condition. It involves looking at the age of systems,

reviewing information from local sources and visual evidence of potential problems to assign a condition rating. It does not include destructive testing of materials or testing of systems or

equipment for functionality.

ASTM ASTM International (ASTM): Originally known as the American Society for Testing and Materials,

ASTM is an international standards organization that develops and publishes voluntary consensus

technical standards for a wide range of materials, products, systems, and services.

BOMA Building Owners Managers of America (BOMA): National organization of public and private facility

owners focused on building management tools and maintenance techniques. eCOMET®

reference: Building and component system effective economic life expectancies.

Building A fully enclosed and roofed structure that can be traversed internally without exiting to the

exterior.

Building Addition An area, space or component of a building added to a building after the original building's year

built date. NOTE: As a convention in the database, "Main" was used to designate the original building. Additions built prior to 1987 (30 years) were included in the main building area calculations to reflect their predicted system depreciation characteristics and remaining service

life.

Building Systems eCOMET® uses UNIFORMAT II to organize building data. UNIFORMAT II was originally developed

by the federal General Services Administration to delineate building costs by systems rather than by material. UNIFORMAT II was formalized by an NIST standard, NISTIR 6389 in 1999. It has been further quantified and updated by ASTM standard 2005, E1557-05. The Construction Specifications Institute, CSI, has taken over the standard as part of their MasterFormat /

MasterSpec system.

Calculated Next Renewal The year a system or building element would be expected to expire based solely on the date it

was installed and the expected useful lifetime for that kind of system.

Capital Renewal Capital renewal refers to the cyclical replacement of building systems or elements as they become

obsolete or beyond their useful life. It is not normally included in an annual operating/maintenance budget. See calculated next renewal and next renewal.

City Cost Index (CCI)

RS Means provides building system, equipment, and construction costs at a national level. The

City Cost Index (also provided by RS Means) localizes those costs to a geographic region of the United States. In eCOMET®, each building or site is assigned a City Cost Index, which adjusts all

of the associated costs for systems, deficiencies and inventory to the local value.

Condition Condition refers to the state of physical fitness or readiness of a facility system or system element

for its intended use.

Condition Budget The Condition Budget, also known as Condition Needs, represents the budgeted contractor

installed costs plus owner's soft costs for the repair, replacement or renewal for a component or system level deficiency. It excludes contributing costs for other components or systems that might

also be associated with the corrective actions due to packaging the work.

Condition Index (CI) %

The Condition Index (CI) also known as the Remaining Service Life Index (RSLI) is calculated as the sum of a renewable system's Remaining Service Life (RSL) Value divided by the sum of a system's Replacement Value (both values exclude soft cost to simplify calculation updates) expressed as a percentage ranging from 100.00% (new) to 0.00% (expired - no remaining life).

Correction

Correction refers to an assessor's recommended deficiency repair or replacement action. For any system or element deficiency, there can be multiple and alternative solutions for its repair or replacement. A Correction is user defined and tied to a UNIFORMAT II element, or system it is intended to address. It excludes other peripheral costs that may also be included in the packaging of repair, replacement or renewal improvements that may also be triggered by the deficiency correction.

Cost Model

A cost model is a list of facility systems which could represent the installed systems a given facility. Included in the cost model are standard unit cost estimates, gross areas, life cycles and installed dates. Also represented is the repair cost for deficient systems, replacement values. See eCOMET® cost models.

Criteria

Criteria refer to the set of requirements, guidelines or standards that are assessed and rated to develop a score.

Current Period

The Current Period is the current year plus a user defined number of forward years.

Current Replacement

Value (CRV)

The Current Replacement Value (CRV) of a facility, building or system represents the hypothetical cost of rebuilding or replacing an existing facility under today's codes and construction standards, using its current configuration. It is calculated by multiplying the gross area of the facility by a square foot cost developed in that facility's cost model. Replacement cost includes construction costs and owner's additional or soft costs for fees, permits and other expenses to reflect a total project cost.

Deferred Maintenance

Deferred maintenance is condition work deferred on a planned or unplanned basis to a future budget cycle or postponed until funds are available.

Deficiency

A deficiency is a repair item that is damaged, missing, inadequate or insufficient for an intended purpose.

Deficiency Category

Category refers to the type or class of a user defined deficiency grouping with shared or similar characteristics. Category descriptions include, but are not limited to: Accessibility Code Compliance, Appearance, Building Code Compliance, Deferred Maintenance, Energy, Environmental, Life Safety Code Compliance, and Safety.

Deficiency Priority

Priority refers to a deficiency's urgency for repair as determined by the assessment team. Five typical industry priority settings were used for the assessment: Priority 1 – Currently Critical; Priority 2 – Potentially Critical; Priority 3 – Necessary/Not Yet Critical; Priority 4 – Recommended.

Distress

Distress refers to a user-defined root cause of a deficiency. Distress descriptions are: Beyond Service Life, Damaged, Inadequate, Needs Remediation, and Missing.

eCOMET®

Energy and Condition Management Estimation Technology (eCOMET®) is Parsons proprietary facility asset management software developed to provide facility managers with a state of the art, web-based tool to develop and maintain a comprehensive database of FCA data and information used for facility asset management, maintenance and repair, and capital renewal planning. eCOMET® is used by Parsons and its clients as the primary tool for collecting FCA data, preparing cost estimates, generating individual facility reports and cost estimates, and developing the overall capital renewal program.

eCOMET® Cost Models

eCOMET cost models are derived from RS Means Square Foot Cost Data cost models and these models are used to develop the current replacement value (CRV) and assign life cycle costs to the various systems within a building. Cost models are assigned current costs-per-square-foot to establish replacement values. The Cost models are designed to represent a client specific facility that meets local standards cost trends.

Element Elements are the major components that comprise building systems as defined by UNIFORMAT II.

Expected Life Also referred to as Useful Life. See Useful Life definition.

Facility A facility refers to site(s) building(s) or building addition(s) or combinations thereof that provide a

particular service.

Facility Attributes Customizable eCOMET fields to identify attributes specific to a facility. These fields are part of the

eCOMET database set-up with the owner.

Facility Condition A facility condition assessment (FCA) is a visual inspection of buildings and grounds at a facility to identify and estimate current and future needed repairs or replacements of major systems for

planning and budgeting purposes. It is typically performed for organizations that are tasked with the day to day maintenance, operation, and capital renewal (replacement) of building systems and components of a large inventory of facilities. The primary goal of an FCA is to objectively and quantifiably identify, inspect, and prioritize the repair and replacement needs of the building and ground systems (e.g., roofs, windows, doors, floor finishes, plumbing fixtures, parking lot, and sidewalks) within facilities that have either failed or have surpassed their service life, and to identify and forecast future capital replacement needs for systems that have not yet failed, but planned replacement of those systems is needed to ensure that the facilities will continue to meet

the mission of the organization.

Facility Condition Index

(FCI%)

FCI is an industry-standard measurement of a facility's condition that is the ratio of the cost to correct a facility's deficiencies to the Current Replacement Value of the facilities. The higher the FCI the poorer the condition of a facility. After an FCI is established for all buildings within a portfolio a building's condition can be ranked relative to other buildings. The FCI may also represent the condition of a portfolio based on the cumulative FCIs of the portfolio's facilities.

Forecast Period The Forecast Period refers to a user defined number of years forward of the Current Period.

Gen (Generate) The Cost Model has a Gen box for each system line item. By checking the box, eCOMET will

The Cost Model has a Gen box for each system line item. By checking the box, eCOMET will generate life cycle deficiencies based on the Year Installed and the Life for that system. Systems that typically do not re-generate (foundations, floor construction, roof construction, basement walls, etc.) would not have the Gen box checked as those systems would not re-generate at the end of a life cycle. In those instances, it would be more practical and cost effective to demolish

the entire facility than re-new those systems.

Gross Square Feet (GSF) The size of the enclosed floor space of a building in square feet measured to the outside face of

the enclosing wall.

Life Cycle Life cycle refers to the period of time that a building or site system or element can be expected to

adequately serve its intended function. Parsons assigns expected life cycles to all building systems

based on Building Operators and Managers of America (BOMA) recommended life cycles,

manufacturers suggested life, and RS Means cost data, and client-provided historical data. BOMA standards are a nationally recognized source of life cycle data for various components and/or systems associated with facilities. RS Means is a national company specializing in construction

estimating and costs.

Next Renewal Next Renewal refers to a manually-adjusted expected useful life of a system or element based on

on-site inspection either by reducing or extending the Calculated Next Renewal to more accurately

reflect current conditions.

Order of Magnitude Order of Magnitude refers to a rough approximation made with a degree of knowledge and

confidence that the budgeted, projected or estimated cost falls within a reasonable range of cost

values.

Remaining Service Life

(RSL)

RSL is the number of years service remaining for a system or equipment item. It is automatically calculated based on the difference between the current year and the 'Calculated Next Renewal'

date or the 'Next Renewal' date whichever one is the later date.

Remaining Service Life Index (RSLI)

The Remaining Service Life Index (RSLI), also known as the Condition Index (CI), is calculated as the sum of a renewable system's or component's Remaining Service Life (RSL) Value divided by the sum of a system's or component's Replacement Value (both values exclude softcost to simplify calculation updates) expressed as a percentage ranging from 100.00% (new) to 0.00% (expired - no remaining service life).

Remaining Service Life

Value

Remaining Service Life Value, also known as the RSL Weight, is a calculated value used to determine the RSLI and is equal to the system Value (Unit Cost * Qty) * RSL (not displayed).

Renewal Factors

Renewal factors represent the difference in cost of renovating or replacing an existing system, rather than new construction of a building system. For example, installing a new built-up roof on an existing building would include removing and disposing of the old roof, a cost not associated with new construction. Using a renewal premium to account for demolition and other difficulty costs, Parsons typically assigns a renewal factor of 110%.

Renewal Schedule

A timeline that provides the items that need repair the year in which the repair is needed and the estimated price of the renewal.

Repair Cost

Repair cost is the sum of all the deficiencies associated with a building or multiple buildings/facilities. It will include any applied soft costs or City Cost Indexes.

Replacement Value

See Current Replacement Value.

Site

A facility's grounds and its utilities, roadways, landscaping, fencing and other typical land improvements needed to support a facility.

Soft Costs

Soft Costs are a construction industry term that refers to expense items that are not considered direct construction costs. Soft costs are user-defined and include architectural, engineering, management, testing, and mitigation fees, and other owner pre- and post-construction expenses.

Sustainability

Sustainability refers to the collection of policies and strategies that meet society's present needs without compromising the ability of future generations to meet their own needs.

System

System refers to building and related site work elements as described by ASTM Uniformat II Classification for Building Elements (E1557-97) a format for classifying major facility elements common to most buildings. Elements usually perform a given function regardless of the design specification construction method or materials used. See also Uniformat II.

System Generated Deficiency eCOMET automatically generates system deficiencies based on system life cycles using the systems installation dates as the base year. By adjusting the Next Renewal date ahead or behind the predicted or stated life cycle date, a system cost will come due earlier or later than the originally installed life cycle date. This utility accounts for good maintenance conditions and a longer life, or early expiration of a system life due to any number of adverse factors such as poor installation, acts of god, material defects, poor design applications and other factors that may shorten the life of a material or system. It is important to mention that the condition of the systems is not necessarily a reflection of maintenance practices, but a combination of system usage and age.

UNIFORMAT

ASTM UNIFORMAT II, Classification for Building Elements (E1557-97), a publication of the Construction Specification Institute (CSI), is a format used to classify major facility components common to most buildings. The format is based on functional elements or parts of a facility characterized by their functions without regard to the materials and methods used to accomplish them. These elements are often referred to as systems or assemblies.

Unit Price

The Unit Price (Raw) x the Additional Cost Template percentage.

Unit Price (Raw)

The actual \$/sq. ft. cost being used for the building and systems. It will include adjustments for the City Cost Index applied to the facility.

eCOMET - Revised Nov 10, 2020 Page 67 of 68

School Assessment Report - South Atlanta High School

Useful Life Also known as Expected Life, Useful Life refers to the intrinsic period of time a system or element

is expected to perform as intended. Useful life is generally provided by manufacturers of materials,

systems and elements through their literature, testing and experience. Useful Lives in the database are derived from the Building Owners and Managers (BOMA) organization's guidelines,

RSMeans cost data, and from client- defined historical experience.

Vacant Vacant refers to a facility that is not occupied but is a maintained facility. See Abandoned.

Year Built The year that a building or addition was originally built based on substantial completion or

occupancy.

minimum of 70% of the system's Current Replacement Value (CRV) was replaced.

BASYS

Building Assessment System

Suitability Report - Full

Project #: 12382 County: Atlanta Public Schools Site #: 1636

Project: APS Assessments 2019 Region: 761 Site: South Atlanta HS

Grade Config: 9-12 Site Type: High Site Size: 50.00

uitability	Rating	Score	Possible Score	Percent Score
uitability - HS				
Learning Environment				
Learning Style Variety	Good	4.00	5.00	80.0
Interior Environment	Good	1.60	2.00	80.
Exterior Environment	Good	1.20	1.50	80.
General Classrooms				
Environment	Good	3.12	3.90	80.
Size	Excel	9.75	9.75	100.
Location	Excel	2.93	2.93	100.
Storage/Fixed Equip	Good	2.34	2.93	80
Self-Contained Special Ed				
Environment	Good	0.43	0.53	80
Size	Good	1.07	1.33	80
Location	Good	0.32	0.40	80
Storage/Fixed Equip	Excel	0.40	0.40	100
Instructional Resource Rooms				
Environment	Excel	0.80	0.80	100
Size	Excel	2.00	2.00	100
Location	Excel	0.60	0.60	100
Storage/Fixed Equip	Excel	0.60	0.60	100
Science				
Environment	Excel	0.83	0.83	100
Size	Excel	2.07	2.07	100
Location	Excel	0.62	0.62	100
Storage/Fixed Equip	Excel	0.62	0.62	100
Music				
Environment	Poor	0.30	0.59	50
Size	Excel	1.48	1.48	100
Location	Excel	0.45	0.45	100
Storage/Fixed Equip	Poor	0.22	0.45	50
Art				
Environment	Fair	0.43	0.67	65
Size	Fair	1.08	1.66	65
Location	Excel	0.50	0.50	100
Storage/Fixed Equip	Excel	0.50	0.50	100
Career Tech Ed				
Environment	Good	1.37	1.71	80

4/7/2020 12:50:09PM Page 1 of 3

Project #: 12382 County: Atlanta Public Schools Site #: 1636

Site: South Atlanta HS

Project: APS Assessments 2019

Region: 761

Grade Config: 9-12 Site Type: High Site Size: 50.00

uitability	Rating	Score	Possible Score	Percent Score
Size	Excel	4.27	4.27	100.00
Location	Excel	1.28	1.28	100.00
Storage/Fixed Equip	Excel	1.28	1.28	100.00
Computer Labs				
Environment	Good	0.24	0.30	80.00
Size	Excel	0.75	0.75	100.00
Location	Excel	0.23	0.23	100.00
Storage/Fixed Equip	Excel	0.23	0.23	100.00
P.E.				
Environment	Good	1.92	2.40	80.00
Size	Excel	6.00	6.00	100.00
Location	Excel	1.80	1.80	100.00
Storage/Fixed Equip	Good	1.44	1.80	80.00
Performing Arts	2000			
Environment	Excel	0.32	0.32	100.00
Size	Excel	0.80	0.80	100.00
Location	Excel	0.24	0.24	100.00
Storage/Fixed Equip	Good	0.19	0.24	80.00
Media Center	3000	00	0.2	00.00
Environment	Excel	0.84	0.84	100.00
Size	Excel	2.11	2.11	100.00
Location	Excel	0.63	0.63	100.00
Storage/Fixed Equip	Excel	0.63	0.63	100.00
Restrooms (Student)	Excel	0.91	0.91	100.00
Administration	Excel	2.61	2.61	100.00
Counseling	Excel	0.76	0.76	100.00
Clinic	Excel	0.74	0.74	100.00
Staff WkRm/Toilets	Excel	0.24	0.24	100.00
Cafeteria		4.00	4.00	100.00
Food Service and Prep	Excel	5.11	5.11	100.00
Custodial and Maintenance	Excel	0.50	0.50	100.00
Outside	Excel	0.50	0.50	100.00
Vehicular Traffic	Door	0.50	1.00	50.00
Pedestrian Traffic	Poor	0.30	0.98	80.00
Parking	Good	2.11	2.11	100.00
Athletic Courts and Fields	Excel	2.77	2.77	100.00
Safety and Security	Excel	2.11	2.11	100.00
Fencing		0.60	0.05	00.00
Signage & Way Finding	Good	0.68	0.85	80.00
	Poor	0.50	1.00	50.00
Ease of Supervision	Good	2.40	3.00	80.00
Controlled Entrances	Poor	0.25	0.50	50.00
al For Site:		91.64	100.00	91.64

Comments

4/7/2020 12:50:09PM Page 2 of 3 Project #: 12382 County: Atlanta Public Schools Site #: 1636

Project: APS Assessments 2019 Region: 761 Site: South Atlanta HS

Grade Config: 9-12 Site Type: High Site Size: 50.00

Suitability Rating Score Possible Percent Score Score Score

Suitability - HS

South Atlanta High School is a 9-12 comprehensive high school located in the southeast Atlanta. It is located on the site of former George High School, and it was created in 1994 by the merger of George and nearby Fulton High School.

Suitability - HS->Music-->Environment

The band, orchestra, and chorus rooms lacked appropriate acoustical architecture in the spaces.

Suitability - HS->Music-->Storage/Fixed Equip

Storage space for musical instruments and other materials is very limited.

Suitability - HS->Art-->Environment

The art space did not have adequate natural light due to a limited number of windows in the room.

Suitability - HS->Art-->Size

The art space meets approximately 60% of the standard.

Suitability - HS->Cafeteria

The cafeteria has a well-located wheel chair ramp that leads to a motion-activated sliding glass door for ease of access to the space for disabled students.

Suitability - HS->Outside-->Vehicular Traffic

There is no designated car riders lane. Parents drive through the faculty parking lot that is parallel to the bus lanes at the front of the school.

Suitability - HS->Safety and Security-->Signage & Way Finding

Exterior way-finding signage is very limited. There are no signs that provide visitors with clear directions on parking or entering the school. Interior signage is well-designated. There are no entrance announcement signs.

Suitability - HS->Safety and Security-->Controlled Entrances

The school does not have a security vestibule.

4/7/2020 12:50:09PM Page 3 of 3